


Sanitary Systems

**Shower enclosures | Bathtubs | Shower trays**



**Catalogue  
2020**



*Shower for life*




## About us

The precise processing of our products has been celebrating success since 1991 (under the name Roltechnik) not only in the Czech Republic, but also in the most demanding markets, such as Germany, Austria, Switzerland and others.

In 2016, Roltechnik became a member of the Roth Industries group. Roth Industries is a family-owned company based in Germany with a 70-year history and more than 1,300 employees worldwide. Roth is a multinational manufacturer of energy and sanitary systems with a worldwide presence.

You can find more information at [www.roth-industries.de](http://www.roth-industries.de)

Above all, this connection taught us higher precision, tightening even the smallest details to perfection and the art of succeeding on the world market. From 1 January 2020 Roltechnik took over the new name **Roth Czech**. By the renaming of Roltechnik name and brand was completed the integration process into the Roth group. Our products are enjoyed by satisfied customers in 25 countries around the world. And more are coming. We care about every detail. We also meet any requirement for an atypical solution. We will always try to accommodate you. We innovate product design in cooperation with the best designers and our technologies certify the most demanding German authorities.



## Shower enclosures

■ Kinedoor Line	
KID2.....	12
KID2+KIB.....	14

■ Walk In Line	
WALK G .....	18
WALK H .....	19
PHILLY LOFT HORIZON.....	21
ECWALK.....	22

■ Tower Line	
TR1 .....	44
TR2 .....	46
TR2 LIGHT.....	47
TDO1 + TDO1.....	48
TDO1 + TB.....	50
TCO1 + TB .....	51

■ Ambient Line	
AMR2N .....	70
AMD2.....	72
AMD2 + AMB .....	73

■ Limaya Line	
LYR4 .....	100
LYP2 .....	102
LYE4 + LYE4 .....	104
LYE4 + LYSW1S .....	106
LYE4 + LZ .....	107
LYE2 + LYE2 .....	108
LYE2 + LYSW1S .....	110
LYE2 + LZ .....	111

### Elegant Neo Line

GR2N .....	26
GDO1N + GDO1N .....	28
GDO1N + GBN .....	30
GDO1N + GZ .....	31

### Elegant Line

GR2 .....	34
GDOL1+GDOP1 .....	36
GDOL1+GBP .....	38
GDNL1 .....	39
GDN2 .....	40
GDN2+UB .....	41

### Exclusive Line

ECR2N .....	78
ECS2L + ECS2P .....	80
ECD01N.....	82
ECD2L.....	84
ECD01N + ECDBN.....	86
ECD2L + ECDBN.....	87

### Lega Line

LLR2 .....	114
LLS2.....	116
LLD01 .....	118
LLD02.....	119
LLD01 + LLB .....	120
LLD02 + LLB .....	121
LLD2 .....	122
LLD4 .....	123
PD3N .....	124
PD3N + LLBD.....	126

### Proxima Line

PXR2N .....	90
PXS2L + PXS2P .....	92
PXD01N.....	94
PXB.....	95
PXD2N .....	96

### Atypical customized solution

■ Enlarging profiles .....	130
■ Profiles and glass .....	131
■ RothETC.....	132
SHELF UNI.....	133
Cleaning blade .....	133

## Shower trays

### Cast marble

PRESTOL .....	134
MARMO NEO ROUND .....	136
MARMO NEO SQUARE.....	137
DREAM-M.....	138
TAHITI-M .....	138
ALOHA-M .....	139
MACAO-M.....	139
RECTAN-M .....	140

### Acrylic

FLAT ROUND .....	142
HAWAII.....	142
HAWAII-P .....	143
FLAT KVADRO.....	143
COLA.....	144
COLA-P .....	144
FLAT KVADRO.....	145
INTEGRO .....	146
FLAT STONE .....	147

### Accessories

Shower tray legs .....	146
Shower tray siphons .....	174
Mounting kit for trays .....	175

## Bathtubs

### Cast marble

ALEGRIA SILK.....	149
-------------------	-----

STONE AMORE.....	149
------------------	-----

### Acrylic

KUBIC NEO .....	150
KUBIC NEO SLIM.....	151
MALIBU NEO.....	152
KUBIC NEO 120 / 130 .....	153
KUBIC 190.....	153
SAVONA .....	154

VANESSA NEO .....	155
ACTIVA.....	156
MINI.....	157
EVA SIDE.....	157
ISABELLA NEO.....	158
HARMONIA .....	158

### Accessories

Bathtub legs .....	175
Bath siphons .....	175

## Project Line

### Shower enclosures

WALK PRO .....	176
AUSTIN .....	177
DENVER .....	177
HOUSTON NEO .....	178
PORTLAND NEO.....	178
ORLANDO NEO .....	179
FLOWER NEO.....	180
MADISON NEO .....	180

### Shower trays

DREAM-P.....	187
DREAM FLAT.....	187
ALOHA-P .....	188
ALOHA FLAT .....	188
SEMIDEEP NEO .....	189
VIKI LUX .....	189

### Bathtubs and bath screens

CLASSIC PRO .....	190
TULLIP .....	190
SCREEN .....	191
SCREEN PRO .....	191

### Shower sets

FLORIDA .....	196
FLORIDA COMBI .....	196
SELMA .....	196
SELMA COMBI .....	196

## Info

■ General informations .....	197
■ Guarantee conditions .....	198
■ Technical specifications .....	199

## SHOWER ENCLOSURES

TYPE / OPENING	Kinedoor Line	Walk In Line	Elegant Neo Line	Elegant Line	Tower Line	Ambient Line	Exclusive Line	Proxima Line	Limaya Line	Lega Line	Project Line
<b>QUADRANT</b>											
						70	78	90		114	178 / 180 182 / 186
						44					
					46-47				100		
					26	34					177
<b>SQUARE AND RECTANGULAR</b>											
						80	92		116	179 / 182	
	12				73	87	95-96		121	184 / 185	
					52				108		
					51		86	95	110	120	
					48				104		
					50				106		
				28	36					183	
			30	38			95				
				41					121		
				65					121		
									121		

## SHOWER ENCLOSURES

TYPE / OPENING	Kinedoor Line	Walk In Line	Elegant Neo Line	Elegant Line	Tower Line	Ambient Line	Exclusive Line	Proxima Line	Limaya Line	Lega Line	Project Line
<b>SQUARE AND RECTANGULAR</b>											
											126 181
									56		
<b>NICHE DOORS</b>											
									60	82	111 118
										94	182
									59		107
								31	39		
										62	102 119
										40	
										64	
										58	
										58	
										58	
										12	72 84 96
											122 183 / 185
											123
											124 181
<b>WALK IN TYPE</b>											
							18 - 22		66 - 67		176



## Roth Czech

The Roltechnik company, which has been producing sanitary products since 1991, has merged into a strong brand with the German manufacturer Roth, which, among other things, developed the world's first shower box in 1967. It has thus become a member of this family business, which brings customers a guarantee of long-term reliability and stability in the partnership,

as well as an emphasis on quality and innovation in the future. The result of this connection is the production of practical and attractive innovations for the bathroom, the house and the use of rainwater. Roth's first product saw the light of day in 1947. Since then, the company has come a very long way. Today, it is one of the world leaders in the segments

of energy conservation, surface heating, cooling and composite technologies. Roth also regularly sets new standards in modern construction technology. In-house research and development brings products that are carefully tailored to customer requirements. In practice, they are appreciated by many customers not only from between professionals.



### Roth service - qualified, comprehensive and fast

Our Roth service experts are available to answer any questions you may have about Roth sanitary products after you purchase them! Our nationwide sales force will quickly advise you on business and technical issues - right at your doorstep.

Roth's quality service offering includes a guarantee of availability spare parts, short response times and fast delivery times.



### Development for the future

Roth's extensive team works on research and development as well as design to bring innovative solutions to innovation. This helps society survive the crisis and seize the chances for growth. It also builds a leading position in the market.

## The world of the Roth brand composes technologies for solutions full of energy

### The world of the Roth brand composes technologies for solutions full of energy

This inspiring vision is the cornerstone of responsible business, which Roth cares about. The internationally active Roth company with more than 1,300 employees is a manufacturer of leading branded products that are used in the field of construction and industrial engineering.



**Kinedoor Line**

ease of movement

# Kinedoor Line

It is characterized by robust rollers and magnificent space. It combines perfect design with everyday practicality.

All shower enclosure lines have their own technical limits – this was true until now. Thanks to dimensioning of an innovative solution for the largest and the most comfortable spaces, we can fearlessly say – this, what is not possible anywhere else, here will be possible for sure.

■ universal sliding door to a niche or in combination with a side panel

■ standard door dimensions from 1 300 to 2 000 mm

■ closing with magnetic sealing ensures improved tightness



# Kinedoor Line

## ease of movement

universal left  
and right solution



## KID2

2-sectional sliding door for a niche  
or for combination with side panel KIB


- standard door dimensions from 1300 to 2000 mm
- universally installable sliding door for niche with smooth movement thanks to robust rollers



8 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**



■ New bottom components for improve water-tightness



■ Solid steel multifunctional handle

### KID2 (2-sectional sliding door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
KID2/1300	970-1300000-00-02	1150-1310	2000	410-560	brilliant	transparent	S
KID2/1500	970-1500000-00-02	1300-1510	2000	460-660	brilliant	transparent	S
KID2/1800	970-1800000-00-02	1500-1810	2000	510-810	brilliant	transparent	S
KID2/2000	970-2000000-00-02	1800-2010	2000	710-910	brilliant	transparent	O

universal LEFT and RIGHT solution

### KID2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
KID2	up to 2800 mm	up to 2400 mm	brilliant	transparent	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

For Kinedoor Line products, we recommend installation by the Roth Czech s.r.o. service department, or an authorized service company.



**KID2**

## Kinedoor Line ease of movement

### KIB

side panel for combination  
with sliding door KID2



universal left  
and right solution

8 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00



easy maintenance thanks  
to the minimum of profiles

- universal left or right installation
- standard height 2000 mm
- the use of 8 mm safety glass ensures excellent stability



■ Magnetic seal for perfect water-tightness



■ For the U-shape combination, two side walls can be attached on both sides of the door - KIB + KID2 + KIB

#### KIB (side panel for combination with sliding door KID2)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
KIB/900	971-9000000-00-02	860–885	2000	—	brilliant	transparent	S
KIB/1000	971-1000000-00-02	960–985	2000	—	brilliant	transparent	O

universal LEFT and RIGHT solution

#### KIB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
KIB	up to 1200 mm	up to 2400 mm	brilliant	transparent	Z

■ Profile anchoring on the side wall



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).

For Kinedoor Line products, we recommend installation by the Roth Czech s.r.o. service department, or an authorized service company.

**Walk in Line**  
free space



Enjoy the comfort  
of free space

# Walk in Line

Free space enhanced by the use of large glass panels  
of 8mm safety glass treated with RothETC surface  
finishing. Make a choice from a broad range of existing  
shapes and sizes or simply ask for your individual  
shower solution.



■ protective aluminium profile  
at the bottom glass edge

■ angle pieces are embedded  
from the inside

■ the possibility to order any glass  
with „mirror effect“ option

## Walk In Line

free space

convenient entrance  
without door



## WALK G

large frameless shower screen  
for corner installation

- RothETC glass treatment for easy maintenance
- „mirror effect“ option for any glass - see page 74-75



8 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

### WALK G (frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
WALK G/900	940-900000-00-02	876-886	2026*	brilliant	transparent	S
WALK G/1000	940-100000-00-02	976-986	2026*	brilliant	transparent	S
WALK G/1200	940-120000-00-02	1176-1186	2026*	brilliant	transparent	S
WALK G/1400	940-140000-00-02	1376-1386	2026*	brilliant	transparent	S
WALK G/1500	940-150000-00-02	1476-1486	2026*	brilliant	transparent	O

h\* - height including supporting elements

### WALK G (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
WALK G	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK G	up to 1500 mm	from 2001 up to 2400 mm	brilliant	transparent	Z



**Support bar** - if you need a longer bar than the standard 100 cm, you can order this longer version (200 cm) and shorten it to the required length during assembly

type	ordering No.	profile	delivery method
SUPPORT BAR - length 2000 mm	ND01-3543	brilliant	S

 Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



■ WALK G



spacious shower  
completely without barriers



## WALK H

large frameless shower screen  
for installation along the wall

- RothETC glass treatment for easy maintenance
- „mirror effect“ option for any glass - see page 74 - 75



8 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**


### WALK H (frameless shower screen)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
WALK H/1000	941-100000-00-02	970	2026*	brilliant	transparent	O
WALK H/1200	941-120000-00-02	1170	2026*	brilliant	transparent	O
WALK H/1400	941-140000-00-02	1370	2026*	brilliant	transparent	O
WALK H/1500	941-150000-00-02	1470	2026*	brilliant	transparent	O

h\* - height including supporting elements



■ WALK H



### WALK H (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
WALK H	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK H	up to 1500 mm	from 2001 up to 2400 mm	brilliant	transparent	Z




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).


## Walk In Line free space




■ WALK A



■ WALK B



■ WALK C



## WALK IN

we offer large frameless shower screens  
in many custom combinations

- choose from the drawings  
a combination according to your needs
- Roth Czech - precise custom production
- RothETC glass treatment  
for easy maintenance



8 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO

standard support bar length  
maximum 1 200 mm



■ PHILLY LOFT HORIZON

## PHILLY LOFT HORIZON

large space shower screen

- modern industrial design  
with profiles in Black elox colour
- RothETC glass treatment  
for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass  
Transparent O2




Profile colour  
Black elox O5

### WALK A, B, C, F (atypical customized solution)

type	width (x/y)	height (h)	profile	glass	delivery method
WALK A	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK B	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK C	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
WALK F	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z

Support bar - if you need a longer bar than the standard 100 cm, you can order this longer version (200 cm) and shorten it to the required length during assembly

type	ordering No.	profile	delivery method
SUPPORT BAR - length 2000 mm	ND01-3543	brilliant	S



■ The hinge screws are embedded in the glass level

### PHILLY LOFT HORIZON (large shower area solution)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
PHILLY LOFT HORIZON 800	PLH 08020 NPE	780-790	2003*	black elox	transparent	0
PHILLY LOFT HORIZON 900	PLH 09020 NPE	880-890	2003*	black elox	transparent	0
PHILLY LOFT HORIZON 1000	PLH 10020 NPE	980-990	2003*	black elox	transparent	0
PHILLY LOFT HORIZON 1200	PLH 12020 NPE	1180-1190	2003*	black elox	transparent	0
PHILLY LOFT HORIZON 1400	PLH 14020 NPE	1380-1390	2003*	black elox	transparent	0

h\* - height including supporting elements




■ Horizontal aluminum profiles on the outside of the glass and support bar (max. 1 200 mm) in Black elox finishing



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



■ universal LEFT and RIGHT  
solution



## Walk In Line

free space

convenient entrance  
without door

## ECWALK

large frameless shower screen

■ modern industrial design  
in two profile colours

■ standard height 2050 mm

6 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00 / Black elox 05



standard support bar length  
maximum 1 200 mm



### ECWALK (frameless shower screen)


type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
ECWALK/900	585-900000-05-02	888-912	2075*	black elox	transparent	0
ECWALK/1000	585-100000-05-02	988-1012	2075*	black elox	transparent	0
ECWALK/1200	585-120000-05-02	1188-1212	2075*	black elox	transparent	0
ECWALK/1400	585-140000-05-02	1388-1412	2075*	black elox	transparent	0
ECWALK/900	585-900000-00-02	888-912	2075*	brilliant	transparent	0
ECWALK/1000	585-100000-00-02	988-1012	2075*	brilliant	transparent	0
ECWALK/1200	585-120000-00-02	1188-1212	2075*	brilliant	transparent	0
ECWALK/1400	585-140000-00-02	1388-1412	2075*	brilliant	transparent	0

h\* - height including supporting elements

### ECWALK (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECWALK	up to 1500 mm	up to 2050 mm	black elox	transparent	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



**Elegant Neo Line**

lightness and elegance

# Elegant Neo Line

Lightness, purity and elegance - the main attributes underlining the airy design of glass

Do you want have pure lines, quality materials in your bathroom, and do not want to be limited by a small range of installation dimensions?

The ELEGANT NEO series will fulfill these requirements without any compromise. Timeless design of hinges and handles made of high quality steel underlined by the integrated minimalist braces to ensure perfect stability.

■ unrivaled range of installation dimensions

■ one type of door for all combinations

■ integrated door bracing profiles



## Elegant Neo Line lightness and elegance

### GR2N

quadrant shower enclosure  
with a double-door opening


- high quality stainless steel hinges
- integrated door bracing profiles
- standard height 2 000 mm



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brillant OO**



■ Chrome-plated fittings allows easy glass movement and setting installation dimensions up to 100 mm




■ Elegant design of the metal handle



#### GR2N (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
GR2N / 900-1000	187-1000000-00-02	885-985	2015*	710-900	290	brilliant	transparent	S
GR2N / 1000-1100	187-1100000-00-02	985-1085	2015*	860-1050	290	brilliant	transparent	S

R - standard radius R550, h\* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

unrivaled range  
of installation dimensions



Products from **ELEGANT NEO** series allows you to use standard - produced dimensions with high flexibility of nominal dimensions from 700 to 1 200 mm.



**Elegant Neo Line**  
lightness and elegance

## GDO1N

single shower door with fixed element

one door will  
solve a lot of situations

universal left  
and right solution

6 mm ESG Tempered glass  
**Transparent 02**



Profile colour  
**Brilliant 00**



■ one type of door for all combinations


- corner entry with a double door opening
- single door opening with a side panel
- single shower door for a niche



**GDO1N + GDO1N**



■ Integrated bracing profile together with hinges in chrome finish ensures perfect door stability



■ Fittings allows easy glass movement and setting installation dimensions up to 100 mm

**GDO1N (hinged shower door)**



type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
GDO1N/800	188-800000-00-02	685-785	2015*	380-480	290	brilliant	transparent	S
GDO1N/900	188-900000-00-02	785-885	2015*	480-580	290	brilliant	transparent	S
GDO1N/1000	188-100000-00-02	885-985	2015*	580-680	290	brilliant	transparent	S
GDO1N/1100	188-110000-00-02	985-1085	2015*	680-780	290	brilliant	transparent	S
GDO1N/1200	188-120000-00-02	1085-1185	2015*	780-880	290	brilliant	transparent	S

h\* - height including supporting elements


**GDO1N (atypical customized solution)**

type	width (y)	height (h)	profile	glass	delivery method
GDO1N	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z

■ **GDO1N** - universal LEFT and RIGHT solution



■ **GDO1N + GDO1N** - square or rectangular shower with a double door opening



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Elegant Neo Line lightness and elegance

one door will solve  
a lot of situations



### GDO1N + GBN

**square or rectangular shower enclosure**  
with a single opening door and a side panel

- up to 15 combinations of size variants
- great variability of door installation settings
- stabilizing components made of quality stainless steel underline the clean design of the series



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brillant OO**



### GDO1N + GZ

**single opening shower door with a set of profiles GZ**  
for installation to a niche

- great variability of door installation settings
- quality processing of functional elements
- universally oriented installation and convenient maintenance thanks to the glass treatment



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brillant OO**

#### GBN (side panel to GDO1N)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
GBN/800	189-8000000-00-02	775-785	2005*	-	brilliant	transparent	S
GBN/900	189-9000000-00-02	875-885	2005*	-	brilliant	transparent	S
GBN/1000	189-1000000-00-02	975-985	2005*	-	brilliant	transparent	S

h\* - height including supporting elements




#### GBN (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
GBN	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z



■ **GBN** - universal LEFT and RIGHT solution



■ **GDO1N + GBN**




■ Flexible side wall support bar allows you to set different angles and also solves any wall irregularities

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

universal left  
and right solution

■ **GDO1N + GZ** - single shower door  
for a niche




■ **GZ** - set of profiles

niche solution	installation width (y)
GDO1N/800 + GZ	685-785
GDO1N/900 + GZ	785-885
GDO1N/1000 + GZ	885-985
GDO1N/1100 + GZ	985-1085
GDO1N/1200 + GZ	1085-1185

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



**Elegant Line**  
chrome classic



It gives you the opportunity to find  
an inspiration for weekdays

# Elegant Line

New standard variations of doors up to 1 500 mm  
will let you use the space in your bathroom  
to the maximum and it makes this line  
the true leader in its category.

■ hinges with reliable lifting  
mechanism

■ EASY INSTALL=easy installation  
of fixed glass in 3 steps

■ chrome-plated brass details

## Elegant Line chrome classic

### GR2

quadrant shower enclosure  
with a double-door opening

- elegant solutions with a combination of 8 mm and 6 mm safety glass on chrome-plated brass hinges
- standard radius R550



6+8 mm ESG Tempered glass  
**Transparent O2**  
6 mm door glass + 8 mm fixed panel



Profile colour  
**Brilliant OO**



■ Design-matched handles with chrome finish



■ Flexible support bar for better stability




■ Hinges in chrome finish

#### GR2 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
GR2/800	131-8000000-00-02	775-795	2017*	455	175-200	brilliant	transparent	0
GR2/900	131-9000000-00-02	875-895	2017*	500	225-250	brilliant	transparent	5
GR2/1000	131-1000000-00-02	975-995	2017*	500	325-350	brilliant	transparent	0

R - standard radius R550, h\* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



#### EASY INSTALL wall profile for easy installation

The proven **Elegant Line** series offers very durable products with reliable quality. However, thanks to the frameless design, it acts lightly, despite the use of 8 and 6 mm safety glass.



**Elegant Line**  
chrome classic

## GDOL1 + GDOP1

square or rectangular shower enclosure  
with a double-door opening



**EASY INSTALL** wall profile  
for easy installation

6+8 mm ESG Tempered glass  
**Transparent O2**  
6 mm door glass + 8 mm fixed panel



Profile colour  
**Brilliant OO**



standard door variants up to 1 500 mm  
for great use of your bathroom space

■ **EASY INSTALL** – easy installation of fixed glass in 3 steps

- fix the profile to the wall
- insert the safety glass and fix it easily with adjustable screws
- click in a covering profile



■ EASY INSTALL profiles and fixed brace for perfect stability






■ Lifting mechanism of hinges, threshold components and seals for perfect functionality

**GDOL1 / GDOP1 (hinged shower door)**

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
GDOL1/800	132-800000L-00-02	775-800	2017*	525	225-250	brillant	transparent	0
GDOL1/900	132-900000L-00-02	875-900	2017*	625	225-250	brillant	transparent	S
GDOL1/1000	132-100000L-00-02	975-1000	2017*	625	325-350	brillant	transparent	0
GDOL1/1100	132-110000L-00-02	1075-1100	2017*	725	325-350	brillant	transparent	0
GDOL1/1200	132-120000L-00-02	1175-1200	2017*	725	425-450	brillant	transparent	0
GDOL1/1300	132-130000L-00-02	1275-1300	2017*	825	425-450	brillant	transparent	0
GDOL1/1400	132-140000L-00-02	1375-1400	2017*	825	525-550	brillant	transparent	0
GDOL1/1500	132-150000L-00-02	1475-1500	2017*	925	525-550	brillant	transparent	0
GDOP1/800	132-800000P-00-02	775-800	2017*	525	225-250	brillant	transparent	0
GDOP1/900	132-900000P-00-02	875-900	2017*	625	225-250	brillant	transparent	S
GDOP1/1000	132-100000P-00-02	975-1000	2017*	625	325-350	brillant	transparent	0
GDOP1/1100	132-110000P-00-02	1075-1100	2017*	725	325-350	brillant	transparent	0
GDOP1/1200	132-120000P-00-02	1175-1200	2017*	725	425-450	brillant	transparent	0
GDOP1/1300	132-130000P-00-02	1275-1300	2017*	825	425-450	brillant	transparent	0
GDOP1/1400	132-140000P-00-02	1375-1400	2017*	825	525-550	brillant	transparent	0
GDOP1/1500	132-150000P-00-02	1475-1500	2017*	925	525-550	brillant	transparent	0

h\* - height including supporting elements



**GDOL1 / GDOP1 (atypical customized solution)**

type	width (y)	height (h)	profile	glass	delivery method
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brillant	transparent	Z
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brillant	chinchilla	Z
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brillant	rauch	Z
GDOL1 / GDOP1	up to 1500 mm	up to 2000 mm	brillant	satinato	Z

! Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Elegant Line chrome classic

EASY INSTALL wall profile  
for easy installation



■ GDOL1 + GBP

## GDOL1 + GBP GDOP1 + GBL

square or rectangular shower enclosure  
with a single opening door and a side panel

- up to 48 final shower enclosure variants
- hinges with lifting mechanism
- RothETC glass surface treatment for easy maintenance



6+8 mm ESG Tempered glass  
Transparent O2  
6 mm door glass + 8 mm fixed panel



Profile colour  
Brilliant O0

### GBL / GBP (side walls to GDOP1 and GDOL1)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
GBL/800	133-800000L-00-02	775-800	2017*	—	brilliant	transparent	0
GBL/900	133-900000L-00-02	875-900	2017*	—	brilliant	transparent	S
GBL/1000	133-100000L-00-02	975-1000	2017*	—	brilliant	transparent	0
GBP/800	133-800000P-00-02	775-800	2017*	—	brilliant	transparent	0
GBP/900	133-900000P-00-02	875-900	2017*	—	brilliant	transparent	S
GBP/1000	133-100000P-00-02	975-1000	2017*	—	brilliant	transparent	0

h\* - height including supporting elements




### GBL / GBP (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GBL / GBP	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



standard door variants up to 1 500 mm  
for great use of your bathroom space



■ GDNL1

## GDNL1 / GDNP1

single shower door with fixed element  
for installation to a niche

- large offer of standard door sizes
- RothETC glass surface treatment for easy maintenance
- easy assembly due to EASY INSTALL profile



6+8 mm ESG Tempered glass  
Transparent O2  
6 mm door glass + 8 mm fixed panel




Profile colour  
Brilliant O0

### GDNL1 / GDNP1 (hinged shower door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
GDNL1/800	134-800000L-00-02	780-820	2017*	510	225-250	brilliant	transparent	0
GDNL1/900	134-900000L-00-02	880-920	2017*	610	225-250	brilliant	transparent	0
GDNL1/1000	134-100000L-00-02	980-1020	2017*	610	325-350	brilliant	transparent	0
GDNL1/1100	134-110000L-00-02	1080-1120	2017*	710	325-350	brilliant	transparent	0
GDNL1/1200	134-120000L-00-02	1180-1220	2017*	710	425-450	brilliant	transparent	0
GDNL1/1300	134-130000L-00-02	1280-1320	2017*	810	425-450	brilliant	transparent	0
GDNL1/1400	134-140000L-00-02	1380-1420	2017*	810	525-550	brilliant	transparent	0
GDNL1/1500	134-150000L-00-02	1480-1520	2017*	910	525-550	brilliant	transparent	0
GDNP1/800	134-800000P-00-02	780-820	2017*	510	225-250	brilliant	transparent	0
GDNP1/900	134-900000P-00-02	880-920	2017*	610	225-250	brilliant	transparent	0
GDNP1/1000	134-100000P-00-02	980-1020	2017*	610	325-350	brilliant	transparent	0
GDNP1/1100	134-110000P-00-02	1080-1120	2017*	710	325-350	brilliant	transparent	0
GDNP1/1200	134-120000P-00-02	1180-1220	2017*	710	425-450	brilliant	transparent	0
GDNP1/1300	134-130000P-00-02	1280-1320	2017*	810	425-450	brilliant	transparent	0
GDNP1/1400	134-140000P-00-02	1380-1420	2017*	810	525-550	brilliant	transparent	0
GDNP1/1500	134-150000P-00-02	1480-1520	2017*	910	525-550	brilliant	transparent	0

h\* - height including supporting elements

■ GDNL1



■ GDNP1



### GDNL1 / GDNP1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GDNL1 / GDNP1	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Elegant Line chrome classic

### EASY INSTALL wall profile for easy installation

standard door variants up to 1 500 mm  
for great use of your bathroom space



### GDN2

double shower door for installation to a niche  
or for combination with a side panel UB

- up to 48 final shower enclosure variants
- hinges with lifting mechanism
- RothETC glass surface treatment for easy maintenance



6+8 mm ESG Tempered glass  
**Transparent O2**  
6 mm door glass + 8 mm fixed panel



Profile colour  
**Brilliant OO**

#### GDN2 (double shower door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
GDN2/1100	138-1100000-00-02	1060–1110	2017*	355	175–200	brilliant	transparent	0
GDN2/1200	138-1200000-00-02	1160–1210	2017*	405	175–200	brilliant	transparent	0
GDN2/1300	138-1300000-00-02	1260–1310	2017*	405	225–250	brilliant	transparent	0
GDN2/1400	138-1400000-00-02	1360–1410	2017*	505	175–200	brilliant	transparent	0
GDN2/1500	138-1500000-00-02	1460–1510	2017*	505	225–250	brilliant	transparent	0

h\* - height including supporting elements



#### GDN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
GDN2	up to 1500 mm	up to 2000 mm	brilliant	transparent	Z
GDN2	up to 1500 mm	up to 2000 mm	brilliant	chinchilla	Z
GDN2	up to 1500 mm	up to 2000 mm	brilliant	rauch	Z
GDN2	up to 1500 mm	up to 2000 mm	brilliant	satinato	Z
GDN2*	from 1501 up to 2000 mm	up to 2000 mm	brilliant	transparent	Z
GDN2*	from 1501 up to 2000 mm	up to 2000 mm	brilliant	chinchilla	Z
GDN2*	from 1501 up to 2000 mm	up to 2000 mm	brilliant	rauch	Z
GDN2*	from 1501 up to 2000 mm	up to 2000 mm	brilliant	satinato	Z



\* GDN2 as an atypical up to 2 000 mm only for installation to a niche. In combination with a fixed panel UB only up to 1 500 mm.

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).



### UB

side panel for combination  
with GDN2 or TDN2 door

- RothETC glass surface treatment for easy maintenance
- easy assembly due to EASY INSTALL profile



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

#### UB (side panel for combination with GDN2 or TDN2 door)



type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
UB/800	729-8000000-00-02	775–810	2025*	—	brilliant	transparent	0
UB/800	729-8000000-01-02	775–810	2025*	—	silver	transparent	0
UB/900	729-9000000-00-02	875–910	2025*	—	brilliant	transparent	0
UB/900	729-9000000-01-02	875–910	2025*	—	silver	transparent	0
UB/1000	729-1000000-00-02	975–1010	2025*	—	brilliant	transparent	0
UB/1000	729-1000000-01-02	975–1010	2025*	—	silver	transparent	0

h\* - height including supporting elements




#### UB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
UB	up to 1200 mm	up to 2000 mm	brilliant / silver	transparent	Z
UB	up to 1200 mm	up to 2000 mm	brilliant / silver	chinchilla	Z
UB	up to 1200 mm	up to 2000 mm	brilliant / silver	rauch	Z
UB	up to 1200 mm	up to 2000 mm	brilliant / silver	satinato	Z



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).

**Tower Line**  
you can rely on



# Tower Line



Right in this series you will find a solution for every situation in the place of your daily relaxation

Opening through a special lifting mechanism both ways - inside and outside - in combination with high quality profiles in 2 variations of surface finishing, will find supporters everywhere, where it is necessary to solve the space variably and to use every free space.

■ easy entrance through a completely openable door, both inside and outside

■ universal left and right solution

■ superior lifting mechanism is a basic condition for easy door opening, sufficient tightness and long lasting durability of the enclosure

## Tower Line

you can rely on

proven lifting system  
of the door opening



### TR1

quadrant shower enclosure  
with a double-door opening

- easy entry through fully openable door, with opening in and out
- standard height 2000 mm
- high quality sealing elements and easy maintenance



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant O0 / Silver (Elox) O1**



■ The magnetic seal for secure closing



■ Threshold strip and bottom door seal




■ Ergonomic handle made of solid aluminum


#### TR1 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TR1/900	722-9000000-00-02	870-890	2012*	660	—	brilliant	transparent	<b>S</b>
TR1/900	722-9000000-01-02	870-890	2012*	660	—	silver	transparent	<b>S</b>
TR1/1000	722-1000000-00-02	970-990	2012*	760	—	brilliant	transparent	<b>O</b>
TR1/1000	722-1000000-01-02	970-990	2012*	760	—	silver	transparent	<b>O</b>

R - standard radius R550, h\* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



**Tower Line**  
you can rely on

proven lifting system  
of the door opening


## TR2 a TR2 Light

quadrant shower enclosure  
with a double-door opening with fixed elements

6 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00 / Silver (Elox) 01




easy maintenance thanks  
to the minimum of profiles

- easy entry through fully openable door, with opening in and out
- standard height 2000 mm
- high quality sealing elements and easy maintenance



■ Support bar of fixed part and lifting profile



■ The light version uses a different set of profiles and door handles - **TR2 Light**

### TR2 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TR2/800	723-8000000-00-02	770-790	2019*	420	195-220	brilliant	transparent	0
TR2/800	723-8000000-01-02	770-790	2019*	420	195-220	silver	transparent	0
TR2/900	723-9000000-00-02	870-890	2019*	420	295-320	brilliant	transparent	S
TR2/900	723-9000000-01-02	870-890	2019*	420	295-320	silver	transparent	S
TR2/1000	723-1000000-00-02	970-990	2019*	420	395-420	brilliant	transparent	0
TR2/1000	723-1000000-01-02	970-990	2019*	420	395-420	silver	transparent	0


R - standard radius R550, h\* - height including supporting elements

### TR2 Light (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TR2 LIGHT 900	738-9000000-00-02	870-890	2017*	420	300-320	brilliant	transparent	S


R - standard radius R550, h\* - height including supporting elements

#### ■ TR2




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

#### ■ TR2 Light



#### ■ TR2 i TR2 Light



## Tower Line

you can rely on

proven lifting system  
of the door opening

## TDO1 + TDO1

square or rectangular shower enclosure  
with a double-door opening with fixed part



■ Adjustable brace for safe door stability



■ Aluminum handle in a modern design



■ Lifting profile with threshold strip and bottom seal



### TDO1 (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TDO1/800	724-8000000-00-02	775-790	2019*	450	295-320	brilliant	transparent	S
TDO1/800	724-8000000-01-02	775-790	2019*	450	295-320	silver	transparent	O
TDO1/900	724-9000000-00-02	875-890	2019*	550	295-320	brilliant	transparent	S
TDO1/900	724-9000000-01-02	875-890	2019*	550	295-320	silver	transparent	S
TDO1/1000	724-1000000-00-02	975-990	2019*	650	295-320	brilliant	transparent	S
TDO1/1000	724-1000000-01-02	975-990	2019*	650	295-320	silver	transparent	S
TDO1/1100	724-1100000-00-02	1075-1090	2019*	650	395-420	brilliant	transparent	O
TDO1/1100	724-1100000-01-02	1075-1090	2019*	650	395-420	silver	transparent	O
TDO1/1200	724-1200000-00-02	1175-1190	2019*	750	395-420	brilliant	transparent	S
TDO1/1200	724-1200000-01-02	1175-1190	2019*	750	395-420	silver	transparent	O

h\* - height including supporting elements



### TDO1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDO1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

\* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



easy maintenance thanks  
to the minimum of profiles

- quality lifting mechanism for convenient opening inside and outside
- standard height 2000 mm
- perfect tightness and long service life



TDO1 + TDO1

## Tower Line

you can rely on

proven lifting system  
of the door opening

easy maintenance thanks  
to the minimum of profiles



### TB

side wall for combination with single opening door TDO1 or TCO1

- square or rectangular solution
- huge amount of combinations by size, profile, glass and door types
- quality support bar and sealing components for long service life



6 mm ESG Tempered glass  
Transparent O2 / Intimglass 20




Profile colour  
Brilliant OO / Silver (Elox) O1

### TB (side panel to TDO1 or TCO1)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
TB/700	725-700000-00-02	675-690	2008*	—	brilliant	transparent	0
TB/700	725-700000-01-02	675-690	2008*	—	silver	transparent	0
TB/750	725-750000-00-02	725-740	2008*	—	brilliant	transparent	0
TB/750	725-750000-01-02	725-740	2008*	—	silver	transparent	0
TB/800	725-800000-00-02	775-790	2008*	—	brilliant	transparent	S
TB/800	725-800000-01-02	775-790	2008*	—	silver	transparent	S
TB/900	725-900000-00-02	875-890	2008*	—	brilliant	transparent	S
TB/900	725-900000-01-02	875-890	2008*	—	silver	transparent	S
TB/1000	725-100000-00-02	975-990	2008*	—	brilliant	transparent	S
TB/1000	725-100000-01-02	975-990	2008*	—	silver	transparent	S

h\* - height including supporting elements




### TB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TB	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

\* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



### TBL / TBP

side wall for combination with single opening door TDO1 or TCO1 in INTIMGLASS version

- in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solution

■ Corner profile with magnetic closing seal




### TBL / TBP (side panel to TDO1 or TCO1)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
TBL/800	725-800000L-00-20	775-790	2008*	—	brilliant	intimglass	0
TBL/800	725-800000L-01-20	775-790	2008*	—	silver	intimglass	0
TBL/900	725-900000L-00-20	875-890	2008*	—	brilliant	intimglass	0
TBL/900	725-900000L-01-20	875-890	2008*	—	silver	intimglass	0
TBL/1000	725-100000L-00-20	975-990	2008*	—	brilliant	intimglass	0
TBL/1000	725-100000L-01-20	975-990	2008*	—	silver	intimglass	0
TBP/800	725-800000P-00-20	775-790	2008*	—	brilliant	intimglass	0
TBP/800	725-800000P-01-20	775-790	2008*	—	silver	intimglass	0
TBP/900	725-900000P-00-20	875-890	2008*	—	brilliant	intimglass	0
TBP/900	725-900000P-01-20	875-890	2008*	—	silver	intimglass	0
TBP/1000	725-100000P-00-20	975-990	2008*	—	brilliant	intimglass	0
TBP/1000	725-100000P-01-20	975-990	2008*	—	silver	intimglass	0

h\* - height including supporting elements / \* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solution


#### TDO1 + TB




#### TB + TDO1



#### TCO1 + TB



#### TB + TCO1



**Tower Line**  
you can rely on

proven lifting system  
of the door opening

easy maintenance thanks  
to the minimum of profiles



## TCO1 + TCO1

square or rectangular shower enclosure  
with a double-door opening

- choose from a large number of door variants or combine a door with a TB wall
- standard height 2000 mm
- quality lifting mechanism for convenient opening inside and outside



6 mm ESG Tempered glass  
Transparent O2 / Intimglass 20



Profile colour  
Brilliant OO / Silver (Elox) O1



■ Lifting profile with high quality lifting mechanism




■ Handle made with precision and attention to detail

### TCO1 (hinged shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
TCO1/800	727-8000000-00-02	775-795	2012*	710	brilliant	transparent	S
TCO1/800	727-8000000-00-20	775-795	2012*	710	brilliant	intimglass	O
TCO1/800	727-8000000-01-02	775-795	2012*	710	silver	transparent	O
TCO1/800	727-8000000-01-20	775-795	2012*	710	silver	intimglass	O
TCO1/900	727-9000000-00-02	875-895	2012*	810	brilliant	transparent	S
TCO1/900	727-9000000-00-20	875-895	2012*	810	brilliant	intimglass	O
TCO1/900	727-9000000-01-02	875-895	2012*	810	silver	transparent	S
TCO1/900	727-9000000-01-20	875-895	2012*	810	silver	intimglass	O
TCO1/1000	727-1000000-00-02	975-995	2012*	910	brilliant	transparent	S
TCO1/1000	727-1000000-00-20	975-995	2012*	910	brilliant	intimglass	O
TCO1/1000	727-1000000-01-02	975-995	2012*	910	silver	transparent	S
TCO1/1000	727-1000000-01-20	975-995	2012*	910	silver	intimglass	O
TCO1/1100	727-1100000-00-02	1075-1095	2012*	1010	brilliant	transparent	O
TCO1/1100	727-1100000-00-20	1075-1095	2012*	1010	brilliant	intimglass	O
TCO1/1100	727-1100000-01-02	1075-1095	2012*	1010	silver	transparent	O
TCO1/1100	727-1100000-01-20	1075-1095	2012*	1010	silver	intimglass	O
TCO1/1200	727-1200000-00-02	1175-1195	2012*	1110	brilliant	transparent	O
TCO1/1200	727-1200000-00-20	1175-1195	2012*	1110	brilliant	intimglass	O
TCO1/1200	727-1200000-01-02	1175-1195	2012*	1110	silver	transparent	O
TCO1/1200	727-1200000-01-20	1175-1195	2012*	1110	silver	intimglass	O



\* - height including supporting elements



### TCO1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCO1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCO1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TCO1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TCO1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCO1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato	Z

### TCO1 - universal LEFT and RIGHT solution



■ Lifting profile with threshold strip and bottom seal

nominal size  
Y  
X  
6 mm GLASS

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Tower Line you can rely on

easy maintenance thanks  
to the minimum of profiles



■ TBD + TDO1

### TBD

universal in-line side wall for TDO1 or TCO1 door  
for niche installation

- variable solution for easy creation of niche shower door
- create a width of shower door from 955 mm up to 1 905 mm



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant O0 / Silver (Elox) O1



■ TBD + TCO1

Choose the dimension you need! By using this universal in-line side wall you can create truly perfect door for niche from the standard doors TDO1 or TCO1.

- High quality lifting mechanism for easy opening



#### TBD (universal in-line side wall for TDO1 or TCO1)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
TBD/240	744-0180000-00-02	212-237	2008*	brilliant	transparent	0
TBD/440	744-0380000-00-02	412-437	2008*	brilliant	transparent	0
TBD/640	744-0580000-00-02	612-637	2008*	brilliant	transparent	0
TBD/740	744-0680000-00-02	712-737	2008*	brilliant	transparent	0

h\* - height including supporting elements



■ The flexible support bar ensures safe stability

#### TBD (atypical customized solution)



type	width (y)	height (h)	profile	glass	delivery method
TBD	up to 1000 mm	up to 2000 mm	brilliant	transparent	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	intimglass*	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	chinchilla	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	rauch	Z
TBD	up to 1000 mm	up to 2000 mm	brilliant	satinato	Z

\* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions




Y (min-max)	TDO1/800   TDO1/900   TDO1/1000   TDO1/1100   TDO1/1200				
	B	B	B	B	B
TBD/240 A	212-237	955-1005	1055-1105	1155-1205	1255-1305
TBD/440 A	412-437	1155-1205	1255-1305	1355-1405	1455-1505
TBD/640 A	612-637	1355-1405	1455-1505	1555-1605	1655-1705
TBD/740 A	712-737	1455-1505	1555-1605	1655-1705	1755-1805

■ TBD - universal LEFT and RIGHT solution



Y (min-max)	TCO1/800   TCO1/900   TCO1/1000   TCO1/1100   TCO1/1200				
	B	B	B	B	B
TBD/240 A	212-237	968-1008	1068-1108	1168-1208	1268-1308
TBD/440 A	412-437	1168-1208	1268-1308	1368-1408	1468-1508
TBD/640 A	612-637	1368-1408	1468-1508	1568-1608	1668-1708
TBD/740 A	712-737	1468-1508	1568-1608	1668-1708	1768-1808

■ TBD - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Tower Line**  
you can rely on

proven lifting system  
of the door opening

## TZOL1 + TZOP1

square or rectangular shower enclosure  
with folding shower door and pivot system

6 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00



**TZOL1 + TZOP1**

easy maintenance thanks  
to the minimum of profiles

- easy entry through fully openable door, with opening inside and outside
- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance



■ Embedded door hinges on the inside for easy cleaning



■ The square combination **TZOL1 + TZOP1** is nice, but you can assemble any combination of sizes

### TZOP1 / TZOL1 (folding shower door with pivot system)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TZOP1/800	737-80000P-00-02	775-795	2012*	470	292-312	brilliant	transparent	0
TZOP1/900	737-90000P-00-02	875-895	2012*	470	392-412	brilliant	transparent	0
TZOP1/1000	737-10000P-00-02	975-995	2012*	570	392-412	brilliant	transparent	0
TZOP1/1100	737-11000P-00-02	1075-1095	2012*	570	492-512	brilliant	transparent	0
TZOP1/1200	737-12000P-00-02	1175-1195	2012*	670	492-512	brilliant	transparent	0
TZOL1/800	737-80000L-00-02	775-795	2012*	470	292-312	brilliant	transparent	0
TZOL1/900	737-90000L-00-02	875-895	2012*	470	392-412	brilliant	transparent	0
TZOL1/1000	737-10000L-00-02	975-995	2012*	570	392-412	brilliant	transparent	0
TZOL1/1100	737-11000L-00-02	1075-1095	2012*	570	492-512	brilliant	transparent	0
TZOL1/1200	737-12000L-00-02	1175-1195	2012*	670	492-512	brilliant	transparent	0


h\* - height including supporting elements

### TZOP1 / TZOL1 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	intimglass	Z
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
TZOP1 / TZOL1	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



**TZOL1 + TB**



**TB + TZOP1**



## Tower Line you can rely on

easy maintenance thanks  
to the minimum of profiles

proven lifting system  
of the door opening



### TZNL1 / TZNP1

shower door for niche installation  
with folding parts and pivot system

- possibility to fold the door completely to the wall
- quality sealing components and easy maintenance
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant O0**



### TDN1

single opening shower door with fixed element  
for niche installation

- easy entry thanks to both-way opening inside and outside
- RothETC glass surface treatment for easy maintenance
- easy installation and reliable functionality



6 mm ESG Tempered glass  
**Transparent O2**




Profile colour  
**Brilliant O0 / Silver (Elox) O1**


#### TZNL1 / TZNP1 (folding shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method
TZNL1/800	739-800000L-00-02	775-810	2012*	470	267-292	brilliant	transparent	0
TZNL1/900	739-900000L-00-02	875-910	2012*	470	367-392	brilliant	transparent	0
TZNL1/1000	739-100000L-00-02	975-1010	2012*	570	367-392	brilliant	transparent	0
TZNL1/1100	739-110000L-00-02	1075-1110	2012*	570	467-492	brilliant	transparent	0
TZNL1/1200	739-120000L-00-02	1175-1210	2012*	670	467-492	brilliant	transparent	0
TZNP1/800	739-800000P-00-02	775-810	2012*	470	267-292	brilliant	transparent	0
TZNP1/900	739-900000P-00-02	875-910	2012*	470	367-392	brilliant	transparent	0
TZNP1/1000	739-100000P-00-02	975-1010	2012*	570	367-392	brilliant	transparent	0
TZNP1/1100	739-110000P-00-02	1075-1110	2012*	570	467-492	brilliant	transparent	0
TZNP1/1200	739-120000P-00-02	1175-1210	2012*	670	467-492	brilliant	transparent	0

\* - height including supporting elements



**TZNP1**



#### TZNL1 / TZNP1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	chinchilla	Z
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
TZNL1 / TZNP1	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

#### TDN1 (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TDN1/800	726-800000-00-02	775-810	2019*	425	295-320	brilliant	transparent	0
TDN1/800	726-800000-01-02	775-810	2019*	425	295-320	silver	transparent	0
TDN1/900	726-900000-00-02	875-910	2019*	525	295-320	brilliant	transparent	S
TDN1/900	726-900000-01-02	875-910	2019*	525	295-320	silver	transparent	S
TDN1/1000	726-100000-00-02	975-1010	2019*	625	295-320	brilliant	transparent	S
TDN1/1000	726-100000-01-02	975-1010	2019*	625	295-320	silver	transparent	S
TDN1/1100	726-110000-00-02	1075-1110	2019*	625	395-420	brilliant	transparent	0
TDN1/1100	726-110000-01-02	1075-1110	2019*	625	395-420	silver	transparent	0
TDN1/1200	726-120000-00-02	1175-1210	2019*	725	395-420	brilliant	transparent	0
TDN1/1200	726-120000-01-02	1175-1210	2019*	725	395-420	silver	transparent	0

\* - height including supporting elements

■ TDN1 - universal LEFT and RIGHT solution



#### TDN1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDN1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

\* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Tower Line**  
you can rely on

## TCN1

single opening shower door for niche installation  
or for combination with side panel TCB

proven lifting system  
of the door opening

6 mm ESG Tempered glass  
Transparent O2 / Intimglass 20



Profile colour  
Brilliant OO / Silver (Elox) O1



easy maintenance thanks  
to the minimum of profiles

- standard height 2000 mm and large selection of offered variants
- quality lifting mechanism for convenient opening inside and outside
- RothETC glass surface treatment for easy maintenance



■ The upper part of the TCN1 lifting and wall profile assembly

### TCN1 (single shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
TCN1/800	728-8000000-00-02	775-810	2012*	680	brilliant	transparent	S
TCN1/800	728-8000000-00-20	775-810	2012*	680	brilliant	intimglass	O
TCN1/800	728-8000000-01-02	775-810	2012*	680	silver	transparent	O
TCN1/800	728-8000000-01-20	775-810	2012*	680	silver	intimglass	O
TCN1/900	728-9000000-00-02	875-910	2012*	780	brilliant	transparent	S
TCN1/900	728-9000000-00-20	875-910	2012*	780	brilliant	intimglass	O
TCN1/900	728-9000000-01-02	875-910	2012*	780	silver	transparent	S
TCN1/900	728-9000000-01-20	875-910	2012*	780	silver	intimglass	O
TCN1/1000	728-1000000-00-02	975-1010	2012*	880	brilliant	transparent	S
TCN1/1000	728-1000000-00-20	975-1010	2012*	880	brilliant	intimglass	O
TCN1/1000	728-1000000-01-02	975-1010	2012*	880	silver	transparent	S
TCN1/1000	728-1000000-01-20	975-1010	2012*	880	silver	intimglass	O
TCN1/1100	728-1100000-00-02	1075-1110	2012*	980	brilliant	transparent	O
TCN1/1100	728-1100000-00-20	1075-1110	2012*	980	brilliant	intimglass	O
TCN1/1100	728-1100000-01-02	1075-1110	2012*	980	silver	transparent	O
TCN1/1100	728-1100000-01-20	1075-1110	2012*	980	silver	intimglass	O
TCN1/1200	728-1200000-00-02	1175-1210	2012*	1080	brilliant	transparent	O
TCN1/1200	728-1200000-00-20	1175-1210	2012*	1080	brilliant	intimglass	O
TCN1/1200	728-1200000-01-02	1175-1210	2012*	1080	silver	transparent	O
TCN1/1200	728-1200000-01-20	1175-1210	2012*	1080	silver	intimglass	O

h\* - height including supporting elements



### TCN1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCN1	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



■ TCN1 - universal LEFT and RIGHT solution



## Tower Line

you can rely on

proven lifting system  
of the door opening



## TCN2

double opening shower door for niche installation  
or for combination with side panel TCB

- generous entrance with double-sided opening inside and outside
- quality sealing components and easy maintenance
- RothETC glass surface treatment for easy maintenance



6 mm ESG Tempered glass  
Transparent O2 / Intimglass 20




Profile colour  
Brilliant OO / Silver (Elox) O1

### TCN2 (double pivot door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
TCN2/800	731-8000000-00-02	785-820	2012*	320	brilliant	transparent	S
TCN2/800	731-8000000-00-20	785-820	2012*	320	brilliant	intimglass	O
TCN2/800	731-8000000-01-02	785-820	2012*	320	silver	transparent	O
TCN2/800	731-8000000-01-20	785-820	2012*	320	silver	intimglass	O
TCN2/900	731-9000000-00-02	885-920	2012*	370	brilliant	transparent	S
TCN2/900	731-9000000-00-20	885-920	2012*	370	brilliant	intimglass	O
TCN2/900	731-9000000-01-02	885-920	2012*	370	silver	transparent	S
TCN2/900	731-9000000-01-20	885-920	2012*	370	silver	intimglass	O
TCN2/1000	731-1000000-00-02	985-1020	2012*	420	brilliant	transparent	S
TCN2/1000	731-1000000-00-20	985-1020	2012*	420	brilliant	intimglass	O
TCN2/1000	731-1000000-01-02	985-1020	2012*	420	silver	transparent	S
TCN2/1000	731-1000000-01-20	985-1020	2012*	420	silver	intimglass	O
TCN2/1100	731-1100000-00-02	1085-1120	2012*	470	brilliant	transparent	O
TCN2/1100	731-1100000-00-20	1085-1120	2012*	470	brilliant	intimglass	O
TCN2/1100	731-1100000-01-02	1085-1120	2012*	470	silver	transparent	O
TCN2/1100	731-1100000-01-20	1085-1120	2012*	470	silver	intimglass	O
TCN2/1200	731-1200000-00-02	1185-1220	2012*	520	brilliant	transparent	S
TCN2/1200	731-1200000-00-20	1185-1220	2012*	520	brilliant	intimglass	O
TCN2/1200	731-1200000-01-02	1185-1220	2012*	520	silver	transparent	O
TCN2/1200	731-1200000-01-20	1185-1220	2012*	520	silver	intimglass	O

h\* - height including supporting elements

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



easy maintenance thanks  
to the minimum of profiles



## TCB

side panel for combination with opening doors  
TCN1 or TCN2

- RothETC glass surface treatment for easy maintenance
- universal left and right solution



6 mm ESG Tempered glass  
Transparent O2




Profile colour  
Brilliant OO / Silver (Elox) O1

### TCB (side panel to TCN2 / TCN1)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
TCB/800	741-8000000-00-02	775-800	2025*	—	brilliant	transparent	O
TCB/800	741-8000000-01-02	775-800	2025*	—	silver	transparent	O
TCB/900	741-9000000-00-02	875-900	2025*	—	brilliant	transparent	S
TCB/900	741-9000000-01-02	875-900	2025*	—	silver	transparent	O
TCB/1000	741-1000000-00-02	975-1000	2025*	—	brilliant	transparent	O
TCB/1000	741-1000000-01-02	975-1000	2025*	—	silver	transparent	O

h\* - height including supporting elements

### TCN1 + TCB




### TCB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	intimglass*	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	chinchilla*	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCB	up to 1200 mm	up to 2000 mm	silver / brilliant	satinato*	Z

\* in the INTIMGLASS, CHINCHILLA, and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions

### TCN2 + TCB



### TCN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	transparent	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	rauch	Z
TCN2	up to 1800 mm	up to 2000 mm	silver / brilliant	satinato	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Tower Line**  
you can rely on

proven lifting system  
of the door opening

## TDN2

double shower door with fixed part for niche installation  
or for combination with side panel UB

6 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00 / Silver (Elox) 01



easy maintenance thanks  
to the minimum of profiles

- RothETC glass surface treatment for easy maintenance
- quality lifting mechanism for convenient opening inside and outside
- for more information and a table of variants to side panel UB see page 41



■ Combination of TDN2 + UB using a telescopic support bar

### TDN2 (double pivot door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	side part width (s)	profile	glass	delivery method
TDN2/1100	721-1100000-00-02	1060-1110	2012*	330	195-220	brilliant	transparent	0
TDN2/1100	721-1100000-01-02	1060-1110	2012*	330	195-220	silver	transparent	0
TDN2/1200	721-1200000-00-02	1160-1210	2012*	330	245-270	brilliant	transparent	0
TDN2/1200	721-1200000-01-02	1160-1210	2012*	330	245-270	silver	transparent	0
TDN2/1300	721-1300000-00-02	1260-1310	2012*	430	195-220	brilliant	transparent	0
TDN2/1300	721-1300000-01-02	1260-1310	2012*	430	195-220	silver	transparent	0
TDN2/1400	721-1400000-00-02	1360-1410	2012*	430	245-270	brilliant	transparent	0
TDN2/1400	721-1400000-01-02	1360-1410	2012*	430	245-270	silver	transparent	0
TDN2/1500	721-1500000-00-02	1460-1510	2012*	530	195-220	brilliant	transparent	0
TDN2/1500	721-1500000-01-02	1460-1510	2012*	530	195-220	silver	transparent	0




h\* - height including supporting elements

### TDN2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDN2	up to 1500 mm	up to 2000 mm	silver / brilliant	satinato	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	transparent	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	intimglass	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	chinchilla	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	rauch	Z
TDN2	from 1501 mm up to 2000 mm	up to 2000 mm	silver / brilliant	satinato	Z

\* TDN2 as an atypical up to 2 000 mm only for installation in a niche. In combination with a fixed UB wall only up to 1 500 mm.

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



**Tower Line**  
you can rely on

inspiration for unusual  
shower space solutions



■ TCW1 + TBS

## TCW1 + TBS

single fixed wall with one pivoting element  
and selfstanding side panel

- short pivoting door functions as a smart solution against spray of water
- single fixed wall is stabilised with telescopic support bar
- selfstanding side panel TBS offers a wide range of possibilities




6 mm ESG Tempered glass  
**Transparent 00**



Profile colour  
**Brilliant 00**

easy maintenance thanks  
to the minimum of profiles



■ Separately used product **TCW1**



■ Telescopic support bar lenght up to 1 500 mm

### TCW1 (single fixed panel with one pivoting element)

type	ordering No.	installation width (y)	height (h)	pivoting element width (c)	profile	glass	delivery method
TCW1/800	745-8000000-00-02	765-790	2025*	383	brilliant	transparent	0
TCW1/900	745-9000000-00-02	865-890	2025*	383	brilliant	transparent	0
TCW1/1000	745-1000000-00-02	965-990	2025*	383	brilliant	transparent	0
TCW1/1200	745-1200000-00-02	1165-1190	2025*	383	brilliant	transparent	0
TCW1/1400	745-1400000-00-02	1365-1390	2025*	383	brilliant	transparent	0

h\* - height including supporting elements



EasyToClean glass protection

### TBS (selfstanding side wall)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
TBS/800	746-8000000-00-02	760-785	2008*	brilliant	transparent	0
TBS/900	746-9000000-00-02	860-885	2008*	brilliant	transparent	0
TBS/1000	746-1000000-00-02	960-985	2008*	brilliant	transparent	0

h\* - height including supporting elements


It is suitable to use the side wall TBS as an additional product to TCW1. This gives a variable solution to your shower enclosure regardless of its installation size. TBS you can place at any distance from the corner.

### TCW1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TCW1	up to 1600 mm	up to 2000 mm	brilliant	transparent	Z
TCW1	up to 1600 mm	up to 2000 mm	brilliant	intimglass*	Z
TCW1	up to 1600 mm	up to 2000 mm	brilliant	rauch	Z
TCW1	up to 1600 mm	up to 2000 mm	brilliant	satinato	Z

\* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions

#### ■ TCW1 - universal LEFT and RIGHT solution




### TBS (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TBS	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z
TBS	up to 1200 mm	up to 2000 mm	brilliant	intimglass*	Z
TBS	up to 1200 mm	up to 2000 mm	brilliant	rauch	Z
TBS	up to 1200 mm	up to 2000 mm	brilliant	satinato	Z

\* in the INTIMGLASS version it is necessary to distinguish between LEFT and RIGHT solutions

#### ■ TBS - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).


Ambient Line  
purity of shapes



Purity of shapes and revolutionary design combined with an exceptional sliding mechanism

# Ambient Line

By the use of high quality components made out of chrome-plated brass we achieved an unbeatably quiet operation. Standard height of 2 metres with a possibility of any door size combination will truly alleviate your worries about planning of your place for relaxation and wellness.



■ universal sliding door for a niche or in combination with a side panel

■ standard door dimensions from 1 200 to 1 500 mm

■ magnetic seal closure ensures improved tightness

## Ambient Line

purity of shapes

unbeatably quiet  
rollers operation



## AMR2N

quadrant shower enclosure  
with double sliding doors

- high quality components made out of chrome-plated brass have unbeatably quiet operation
- modern design with visible rollers
- RothETC glass surface treatment for easy maintenance

8 mm ESG Tempered glass  
**Transparent 02**

Profile colour  
**Brilliant 00**




■ Magnetic seal closure with bottom door seal for perfect water-tightness

■ Quality stainless steel rollers for quiet operation

### AMR2N (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method
AMR2N/900	624-9000000-00-02	885–895	2000	510	brilliant	transparent	<b>S</b>
AMR2N/1000	624-1000000-00-02	985–995	2000	510	brilliant	transparent	<b>O</b>

R - standard radius R550



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).

## Ambient Line

purity of shapes

unbeatably quiet  
rollers operation



### AMD2

sliding shower door for niche installation  
or in combination with a side panel AMB

- standard door dimensions from 1200 to 1500 mm
- modern design with visible rollers
- the possibility to order any glass with „mirror effect“ finishing option - see next double page



8 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

universal left  
and right solution



### AMB

side panel for combination  
with sliding door AMD2

- magnetic seal closure to ensure improved water tightness
- RothETC glass surface treatment for easy maintenance
- the possibility of „mirror effect“ option - see next double page



8 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

#### AMD2 (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method
AMD2/1200	620-1200000-00-02	1100-1200	2000	410-510	brilliant	transparent	S
AMD2/1300	620-1300000-00-02	1200-1300	2000	460-560	brilliant	transparent	S
AMD2/1400	620-1400000-00-02	1300-1400	2000	510-610	brilliant	transparent	S
AMD2/1500	620-1500000-00-02	1400-1500	2000	560-660	brilliant	transparent	S



#### AMD2 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
AMD2	up to 1800 mm	up to 2000 mm	brilliant	transparent	Z



■ Stainless steel ball bearing rollers

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

■ AMD2 - universal LEFT and RIGHT solution



#### AMB (side panel for combination with sliding door AMD2)

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method
AMB/800	621-8000000-00-02	780-790	2000	-	brilliant	transparent	S
AMB/900	621-9000000-00-02	880-890	2000	-	brilliant	transparent	S






#### AMB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
AMB	up to 1200 mm	up to 2000 mm	brilliant	transparent	Z

■ AMD2 + AMB

■ AMB + AMD2

■ AMB + AMD2 + AMB



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

In addition - practical  
mirror right on the enclosure

# Mirror effect

Do you want to have a large mirror that really shows you from head to toe? Or would you like to optically enlarge the space of your bathroom? You can get both straight as part of your new shower.

When you order the shower enclosure, you can also order the mirror effect. Your selected glass will be coated by special layer allowing you to have a practical mirror in your bathroom.

The bathroom area will look more attractive, bigger and it will get another dimension. The mirror effect can be ordered for all models of WALK IN LINE and for AMBIENT LINE - models AMD2 and AMB.



■ WALK G - offers a truly large mirror format

■ AMD2 with both glass panes in „mirror effect“ finishing in combination with side panel AMB



## Choose, where the mirror effect will be placed

<b>XXX-XXXXXX-XX-XX</b>	<b>941-1400000-00-51</b>
GLASS TYPE	model profile colour glass type

### ■ WALK IN LINE


mirror effect		
surcharge for 1 piece of glass selected according to the offer		
MIRROR EFFECT	glass size: 0 – 1500 mm	delivery method
		Z

### ■ AMBIENT LINE


<b>XXX-XXXXXX-XX-XX</b>	<b>620-130000L-00-54</b>
MODEL NO.	LEFT / RIGHT PROFILE COLOUR GLASS TYPE

<b>AMD2</b>	
AMD2 - left	Door glass
mirror effect	I. II. Glass type ID left/right ID


<b>AMD2</b>	
AMD2 - right	Door glass
mirror effect	I. II. Glass type ID left/right ID




WALK G



WALK H



AMB - left



AMB - right

**Exclusive Line**  
in a modern style

A new generation of our traditional line brings features, which make it unique

# Exclusive Line

Extra height exceeding 2 metres, frameless bottom part, a solid and practical handle - this all determines this line to be successful and meet the requirements of modern lifestyle.

- extra height exceeding 2 metres
- robust pivoting hinge completes the solid design and ensures reliability of the pivot solution
- tilting system of frameless bottom part combines the barrier free solution with cleaning possibilities



**Exclusive Line**  
in a modern style

## ECR2N

quadrant shower enclosure  
with two sliding doors


- extra height exceeding 2 metres
- solid pivoting hinge complements the precise design and ensures the reliability of the pivot solution
- tilting system of the bottom part for easy maintenance



6 mm ESG Tempered glass  
**Transparent 02**



Profile colour  
**Brilliant 00 / Black elox 05**



■ Solid handle made out of polished stainless steel



■ Durable rollers with a diameter of 30 mm



■ Tilting system of the bottom part allows easy maintenance




■ Protective aluminium profile

### ECR2N (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
ECR2N/900	561-9000000-00-02	875-900	2050	520	brilliant	transparent	<b>S</b>
ECR2N/900	561-9000000-05-02	875-900	2050	520	black elox	transparent	<b>0</b>
ECR2N/1000	561-1000000-00-02	975-1000	2050	520	brilliant	transparent	<b>0</b>
ECR2N/1000	561-1000000-05-02	975-1000	2050	520	black elox	transparent	<b>0</b>

R - standard radius R550, h\* - height including supporting elements



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



precise design  
and reliability

Extra height exceeding  
2 metres, frameless bottom part,  
solid and practical handle.



## Exclusive Line in a modern style

### ECS2L + ECS2P

square or rectangular shower enclosure  
with two sliding door

- choice of two types of profile  
Brilliant or Black elox
- extra height over 2 metres
- 5-year extended warranty



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brillant OO / Black elox O5



**ECS2L + ECS2P**  
brilliant

#### ECS2L, ECS2P (sliding shower door - left / right part)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
<b>ECS2L - left part</b>							
ECS2L/800	560-800000L-00-02	775-800	2050	420	brilliant	transparent	S
ECS2L/800	560-800000L-05-02	775-800	2050	420	black elox	transparent	O
ECS2L/900	560-900000L-00-02	875-900	2050	485	brilliant	transparent	S
ECS2L/900	560-900000L-05-02	875-900	2050	485	black elox	transparent	O
ECS2L/1000	560-100000L-00-02	975-1000	2050	550	brilliant	transparent	O
ECS2L/1000	560-100000L-05-02	975-1000	2050	550	black elox	transparent	O
ECS2L/1100	560-110000L-00-02	1075-1100	2050	620	brilliant	transparent	O
ECS2L/1100	560-110000L-05-02	1075-1100	2050	620	black elox	transparent	O
ECS2L/1200	560-120000L-00-02	1175-1200	2050	690	brilliant	transparent	O
ECS2L/1200	560-120000L-05-02	1175-1200	2050	690	black elox	transparent	O
<b>ECS2P - right part</b>							
ECS2P/800	560-800000P-00-02	775-800	2050	420	brilliant	transparent	S
ECS2P/800	560-800000P-05-02	775-800	2050	420	black elox	transparent	O
ECS2P/900	560-900000P-00-02	875-900	2050	485	brilliant	transparent	S
ECS2P/900	560-900000P-05-02	875-900	2050	485	black elox	transparent	O
ECS2P/1000	560-100000P-00-02	975-1000	2050	550	brilliant	transparent	O
ECS2P/1000	560-100000P-05-02	975-1000	2050	550	black elox	transparent	O
ECS2P/1100	560-110000P-00-02	1075-1100	2050	620	brilliant	transparent	O
ECS2P/1100	560-110000P-05-02	1075-1100	2050	620	black elox	transparent	O
ECS2P/1200	560-120000P-00-02	1175-1200	2050	690	brilliant	transparent	O
ECS2P/1200	560-120000P-05-02	1175-1200	2050	690	black elox	transparent	O

h\* - height including supporting elements



black elegance  
in a new design



**ECS2L + ECS2P**  
black elox



Tilting door system - for easy maintenance




Robust aluminium frame in Brilliant finishing

#### ECS2L, ECS2P (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
ECS2L	to 1200 mm	to 2050 mm	brilliant / black elox	transparent	Z
ECS2P	to 1200 mm	to 2050 mm	brilliant / black elox	transparent	Z

h\* - height including supporting elements

**ECS2L**



**ECS2P**



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



**Exclusive Line**  
in a modern style

## ECDO1N

single opening shower door for a niche  
or in combination with a side panel ECDBN

polished or black  
aluminium profile

6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO / Black elox O5



first class tightness  
and extra height

- robust pivoting hinge completes the solid design and ensures reliability of the pivot solution
- solid multifunctional handle
- standard height 2 050 mm



■ New design profile in Black elox finishing

■ Robust handle for easy grip underlining the lightness of the Exclusive Line series

■ Pivoting mechanism ensures both-ways opening in chrome surface finishing




■ ECDO1N

### ECDO1 (double shower door for a niche)


type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
ECDO1N/800	562-8000000-00-02	775-815	2050	525	brillant	transparent	S
ECDO1N/800	562-8000000-05-02	775-815	2050	525	black elox	transparent	O
ECDO1N/900	562-9000000-00-02	875-915	2050	625	brillant	transparent	S
ECDO1N/900	562-9000000-05-02	875-915	2050	625	black elox	transparent	O
ECDO1N/1000	562-1000000-00-02	975-1015	2050	725	brillant	transparent	S
ECDO1N/1000	562-1000000-05-02	975-1015	2050	725	black elox	transparent	O
ECDO1N/1100	562-1100000-00-02	1075-1115	2050	725	brillant	transparent	O
ECDO1N/1100	562-1100000-05-02	1075-1115	2050	725	black elox	transparent	O

■ ECDO1N- universal  
LEFT and RIGHT solution



### ECDO1N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECDO1N	up to 1100 mm	up to 2050 mm	brillant	transparent	Z
ECDO1N	up to 1100 mm	up to 2050 mm	black elox	transparent	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Exclusive Line**  
in a modern style

easy and practical  
maintenance



## ECD2L / ECD2P

sliding shower door for niche installation  
or for combination with side panel ECDBN

- standard height 2 050 mm
- large rollers with diameter of 30 mm  
with stainless steel ball bearers for smooth movement



6 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00 / Black elox 05





■ Bottom tilting for easy maintenance

### ECD2L / ECD2P (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
<b>ECD2L - left</b>							
ECD2L / 1200	564-120000L-00-02	1170 – 1215	2050	490	brilliant	transparent	0
ECD2L / 1200	564-120000L-05-02	1170 – 1215	2050	490	black elox	transparent	0
ECD2L / 1300	564-130000L-00-02	1270 – 1315	2050	540	brilliant	transparent	0
ECD2L / 1300	564-130000L-05-02	1270 – 1315	2050	540	black elox	transparent	0
ECD2L / 1400	564-140000L-00-02	1370 – 1415	2050	590	brilliant	transparent	0
ECD2L / 1400	564-140000L-05-02	1370 – 1415	2050	590	black elox	transparent	0
ECD2L / 1500	564-150000L-00-02	1470 – 1515	2050	640	brilliant	transparent	0
ECD2L / 1500	564-150000L-05-02	1470 – 1515	2050	640	black elox	transparent	0
<b>ECD2P - right</b>							
ECD2P / 1200	565-120000P-00-02	1170 – 1215	2050	490	brilliant	transparent	5
ECD2P / 1200	565-120000P-05-02	1170 – 1215	2050	490	black elox	transparent	0
ECD2P / 1300	565-130000P-00-02	1270 – 1315	2050	540	brilliant	transparent	0
ECD2P / 1300	565-130000P-05-02	1270 – 1315	2050	540	black elox	transparent	0
ECD2P / 1400	565-140000P-00-02	1370 – 1415	2050	590	brilliant	transparent	0
ECD2P / 1400	565-140000P-05-02	1370 – 1415	2050	590	black elox	transparent	0
ECD2P / 1500	565-150000P-00-02	1470 – 1515	2050	640	brilliant	transparent	0
ECD2P / 1500	565-150000P-05-02	1470 – 1515	2050	640	black elox	transparent	0

h\* - height including supporting elements



### ECD2L / ECD2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
ECD2L	up to 1500 mm	up to 2050 mm	brilliant / black elox	transparent	Z
ECD2P	up to 1500 mm	up to 2050 mm	brilliant / black elox	transparent	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).



**Exclusive Line**  
in a modern style

## ECDBN

side panel for combination  
with door ECDO1N or ECD2L(P)



varied selection  
of door types

6 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00 / Black elox 05



colour finishing  
of profiles



■ Choice of profile colour - Brilliant / Black elox

### ECDBN (side panel to shower door ECDO1N, ECD2L(P))

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
ECDBN / 800	563-8000000-00-02	775-815	2050	brilliant	transparent	S
ECDBN / 800	563-8000000-05-02	775-815	2050	black elox	transparent	O
ECDBN / 900	563-9000000-00-02	875-915	2050	brilliant	transparent	S
ECDBN / 900	563-9000000-05-02	875-915	2050	black elox	transparent	O
ECDBN / 1000	563-1000000-00-02	975-1015	2050	brilliant	transparent	S
ECDBN / 1000	563-1000000-05-02	975-1015	2050	black elox	transparent	O

### ECDBN (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
ECDBN	to 1100 mm	to 2050 mm	brilliant	transparent	Z
ECDBN	to 1100 mm	to 2050 mm	black elox	transparent	Z

■ ECDO1N + ECDBN

■ ECDBN + ECDO1N

■ ECD2P + ECDBN

■ ECDBN + ECD2L



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Proxima Line**

success is guaranteed

The most successful line of recent years  
has been complemented with new models

# Proxima Line

6 mm safety glass, RothETC glass protection  
together with a newly specified standard  
height of 2 metres, allows extensive  
combinations with designed acrylic  
or cast marble trays.

■ adjustable pivot door hinges  
ensure easy installation

■ long durability rollers with  
bottom tilt function for easier  
shower enclosure cleaning

■ functional towel holder  
on PXD2N model



**Proxima Line**  
success is guaranteed

large selection of glass types  
and profile colours



## PXR2N

quadrant shower enclosure  
with two sliding doors

- PXR2N model available in two heights  
1 850 or 2 000 mm



6 mm ESG Tempered glass  
Transparent O2 / Satinato 15 /  
Chinchilla O3



Profile colour  
Brilliant OO



■ Handle in Brilliant surface finishing



■ Polished aluminium profiles




■ Ball bearing rollers with long service life



■ Bottom tilt function for easy maintenance

PXR2N (quadrant shower enclosure with two sliding doors)								
type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method	
<b>PXR2N - height 1 850 mm</b>								
PXR2N/800	531-800R55N-00-02	780-805	1850	380	brilliant	transparent	S	
PXR2N/800	531-800R55N-00-15	780-805	1850	380	brilliant	satinato	O	
PXR2N/900	531-900R55N-00-02	880-905	1850	520	brilliant	transparent	S	
PXR2N/900	531-900R55N-00-15	880-905	1850	520	brilliant	satinato	S	
PXR2N/900	531-900R55N-00-03	880-905	1850	520	brilliant	chinchilla	S	
PXR2N/1000	531-100R55N-00-02	980-1005	1850	520	brilliant	transparent	S	
PXR2N/1000	531-100R55N-00-15	980-1005	1850	520	brilliant	satinato	O	
<b>PXR2N - height 2 000 mm</b>								
PXR2N/800	532-800R55N-00-02	780-805	2000	380	brilliant	transparent	S	
PXR2N/900	532-900R55N-00-02	880-905	2000	520	brilliant	transparent	S	
PXR2N/900	532-900R55N-00-03	880-905	2000	520	brilliant	chinchilla	S	
PXR2N/1000	532-100R55N-00-02	980-1005	2000	520	brilliant	transparent	O	

R - standard radius R550, h\* - height including supporting elements



**!**  
Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).




**PXR2N**

**Proxima Line**  
success is guaranteed

## PXS2L + PXS2P

square or rectangular shower enclosure  
with two sliding doors



ball bearing rollers  
with long service life

6 mm ESG Tempered glass  
Transparent O2 / Satinato 15



Profile colour  
Brillant OO



bottom tilting  
for easy maintenance

- 6mm safety glass
- RothETC glass protection against limescale deposits



■ Ball bearing rollers with long service life and bottom tilt function for easy maintenance



■ Perfect details processing


### PXS2L, PXS2P 2-sectional sliding door (left / right side)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
<b>PXS2L - left side / height 1 850 mm</b>							
PXS2L/800	537-8000000-00-02	785-810	1850	385	brillant	transparent	S
PXS2L/800	537-8000000-00-15	785-810	1850	385	brillant	satinato	O
PXS2L/900	537-9000000-00-02	885-910	1850	455	brillant	transparent	S
PXS2L/900	537-9000000-00-15	885-910	1850	455	brillant	satinato	O
PXS2L/1000	537-1000000-00-02	985-1010	1850	525	brillant	transparent	S
PXS2L/1000	537-1000000-00-15	985-1010	1850	525	brillant	satinato	O
<b>PXS2P - right side / height 1 850 mm</b>							
PXS2P/800	538-8000000-00-02	785-810	1850	385	brillant	transparent	S
PXS2P/800	538-8000000-00-15	785-810	1850	385	brillant	satinato	O
PXS2P/900	538-9000000-00-02	885-910	1850	455	brillant	transparent	S
PXS2P/900	538-9000000-00-15	885-910	1850	455	brillant	satinato	O
PXS2P/1000	538-1000000-00-02	985-1010	1850	525	brillant	transparent	S
PXS2P/1000	538-1000000-00-15	985-1010	1850	525	brillant	satinato	O
<b>PXS2L - left side / height 2 000 mm</b>							
PXS2L/800	528-8000000-00-02	785-810	2000	385	brillant	transparent	S
PXS2L/900	528-9000000-00-02	885-910	2000	455	brillant	transparent	S
PXS2L/1000	528-1000000-00-02	985-1010	2000	525	brillant	transparent	S
<b>PXS2P - right side / height 2 000 mm</b>							
PXS2P/800	529-8000000-00-02	785-810	2000	385	brillant	transparent	S
PXS2P/900	529-9000000-00-02	885-910	2000	455	brillant	transparent	S
PXS2P/1000	529-1000000-00-02	985-1010	2000	525	brillant	transparent	S

h\* - height including supporting elements

### PXS2L, PXS2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXS2L	up to 1000 mm	up to 2000 mm	brillant	transparent	Z
PXS2L	up to 1000 mm	up to 2000 mm	brillant	satinato	Z
PXS2P	up to 1000 mm	up to 2000 mm	brillant	transparent	Z
PXS2P	up to 1000 mm	up to 2000 mm	brillant	satinato	Z



**Proxima Line**  
success is guaranteed

elegant and pure  
design


for combination to sliding door  
or single opening door



## PXDO1N

single opening shower door for niche installation

- RothETC glass surface treatment for easy maintenance
- universal LEFT and RIGHT solution
- 6mm safety glass



- Adjustable pivot door hinges ensure easy installation



6 mm ESG Tempered glass  
Transparent O2 / Satinato 15





Profile colour  
Brilliant OO

### PXDO1N (single shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
PXDO1N/800	525-8000000-00-02	772-822	2000	510	brilliant	transparent	S
PXDO1N/800	525-8000000-00-15	772-822	2000	510	brilliant	satinato	O
PXDO1N/900	525-9000000-00-02	872-922	2000	610	brilliant	transparent	S
PXDO1N/900	525-9000000-00-15	872-922	2000	610	brilliant	satinato	O
PXDO1N/1000	525-1000000-00-02	972-1022	2000	710	brilliant	transparent	O
PXDO1N/1000	525-1000000-00-15	972-1022	2000	710	brilliant	satinato	O
PXDO1N/1100	525-1100000-00-02	1072-1122	2000	810	brilliant	transparent	O
PXDO1N/1100	525-1100000-00-15	1072-1122	2000	810	brilliant	satinato	O

### PXDO1N - universal LEFT and RIGHT solution



### PXDO1N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXDO1N	up to 1100 mm	up to 2000 mm	brilliant	transparent	Z
PXDO1N	up to 1100 mm	up to 2000 mm	brilliant	satinato	Z

### PXBN (side panel to PXDO1N or PXD2N)

type	ordering No.	installation width (y)	height (h)	profile	profile	delivery method
PXBN/700	527-7000000-00-02	680-705	2000	brilliant	transparent	O
PXBN/700	527-7000000-00-15	680-705	2000	brilliant	satinato	O
PXBN/800	527-8000000-00-02	780-805	2000	brilliant	transparent	S
PXBN/800	527-8000000-00-15	780-805	2000	brilliant	satinato	O
PXBN/900	527-9000000-00-02	880-905	2000	brilliant	transparent	S
PXBN/900	527-9000000-00-15	880-905	2000	brilliant	satinato	O
PXBN/1000	527-1000000-00-02	980-1005	2000	brilliant	transparent	S
PXBN/1000	527-1000000-00-15	980-1005	2000	brilliant	satinato	O




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

### PXBN (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXBN	up to 1100 mm	up to 2000 mm	brilliant	transparent	Z
PXBN	up to 1100 mm	up to 2000 mm	brilliant	satinato	Z

### PXBN - universal LEFT and RIGHT solution




PXD2N + PXBN

**Proxima Line**  
success is guaranteed

## PXD2N

sliding shower door for niche installation  
or for combination with side panel PXBN



practical design  
and comfort accessories

6 mm ESG Tempered glass  
Transparent 02 / Satinato 15



Profile colour  
Brilliant 00



easy maintenance  
with tilting of bottom rollers



- functional towel holder
- solid and practical handle
- standard height 2 000 mm
- version with LEFT entry - product must be turned during installation and the rollers replaced (lower to upper)



■ Ball bearing rollers with long service life and bottom tilt function for easy maintenance



■ Robust profile and improved details



■ Multifunctional towel holder on fixed glass of PXD2N

### PXD2N (2-sectional sliding door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
PXD2N/1200	526-1200000-00-02	1180–1230	2000	450	brilliant	transparent	S
PXD2N/1200	526-1200000-00-15	1180–1230	2000	450	brilliant	satinato	O
PXD2N/1300	526-1300000-00-02	1280–1330	2000	500	brilliant	transparent	S
PXD2N/1300	526-1300000-00-15	1280–1330	2000	500	brilliant	satinato	O
PXD2N/1400	526-1400000-00-02	1380–1430	2000	550	brilliant	transparent	S
PXD2N/1400	526-1400000-00-15	1380–1430	2000	550	brilliant	satinato	O
PXD2N/1500	526-1500000-00-02	1480–1530	2000	600	brilliant	transparent	S
PXD2N/1500	526-1500000-00-15	1480–1530	2000	600	brilliant	satinato	O
PXD2N/1600	526-1600000-00-02	1580–1630	2000	650	brilliant	transparent	S
PXD2N/1600	526-1600000-00-15	1580–1630	2000	650	brilliant	satinato	O



### PXD2N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXD2N	up to 1600 mm	up to 2000 mm	brilliant	transparent	Z
PXD2N	up to 1600 mm	up to 2000 mm	brilliant	satinato	Z




Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).

■ PXD2N - universal LEFT and RIGHT solution



■ PXD2N + PXBN



■ PXBN + PXD2N



**Limaya Line**

easy to be

A completely new semi-framed line  
with lifting mechanism  
represents a new generation  
of shower enclosures.

# Limaya Line

just one door type for all combinations  
of your shower area  
square or rectangular shower enclosure  
with double opening doors  
square or rectangular shower enclosure  
with single opening door and side panel  
single opening shower door for niche installation



QUADRANT

CORNER

NICHE

■ high quality lifting mechanism

■ easy entrance thanks to a both-way opening - in and out

■ standard height 1950 mm

# Limaya Line

easy to be

comfortable and convenient  
space for entry



## LYR4

quadrant shower enclosure  
with a double-door opening

- quality lifting mechanism
- easy entrance thanks to a both-way opening - in and out
- standard height 1 950 mm



5 mm ESG Tempered glass  
**Transparent 02**



Profile colour  
**Brillant 00**



■ Polished aluminium handle



■ Profile with quality lifting mechanism for easy opening





■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies



### LZR2 (quadrant shower enclosure with a double-door opening)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method
LYR4/800	1135008265	767–792	1959*	395	243–268	brilliant	transparent	S
LYR4/900	1135008267	867–892	1959*	395	343–368	brilliant	transparent	S
LYR4/1000	1135008269	967–992	1959*	395	443–468	brilliant	transparent	S

R - standard radius R550, h\* - height including supporting elements



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).



LYR4

**Limaya Line**  
easy to be

maximum tightness  
and pure design

## LYP2

double shower door  
for niche installation

5 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brilliant 00



easy operating  
both-sided opening doors

- standard door dimensions from 800 to 1200 mm
- quality lifting mechanism
- both-way opening - in and out



LYP2



■ Both-way opening doors



■ Quality lifting profile for easy opening



■ Slim door handle underlining the whole concept of this series

### LYP2 (double shower door for a niche)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LYP2/800	1135008220	760–810	1958*	320	brilliant	transparent	S
LYP2/900	1135008222	860–910	1958*	375	brilliant	transparent	S
LYP2/1000	1135008224	960–1010	1958*	425	brilliant	transparent	S
LYP2/1100	1135009844	1060–1110	1958*	475	brilliant	transparent	S
LYP2/1200	1135008226	1160–1210	1958*	525	brilliant	transparent	S

h\* - height including supporting elements

### LYP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYP2	up to 1500 mm	up to 1950 mm	brilliant	transparent	Z

■ LYP2



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).

**Limaya Line**  
easy to be

## LYE4

single opening door with a fixed part



5 mm ESG Tempered glass  
Transparent 02



Profile colour  
Brillant OO



■ Opening mechanism with effective seal



■ Lifting profile ensures easy door operation



■ Flexible support bar allows the setting of different angles and can solve the wall inaccuracies

### LYE4 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	fixed part width (s)	profile	glass	delivery method
LYE4/800	1135008253	767–792	1959*	510	243–268	brilliant	transparent	S
LYE4/900	1135008255	867–892	1959*	510	343–368	brilliant	transparent	S
LYE4/1000	1135008257	967–992	1959*	510	343–368	brilliant	transparent	S
LYE4/1100	1135009845	1067–1092	1959*	610	443–468	brilliant	transparent	S
LYE4/1200	1135008259	1167–1192	1959*	710	443–468	brilliant	transparent	S



h\* - height including supporting elements

### LYE4 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYE4	up to 1200 mm	up to 1950 mm	brilliant	transparent	Z

■ LYE4 + LYE4

■ LYE4 - universal LEFT and RIGHT solution



! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).



Attractive design with elements of elegance, this is the **Limaya Line** series of shower enclosures. Quality lifting system enabling both-way door opening.



■ LYE4 + LYE4

**Limaya Line**  
easy to be

flexible support bar solves  
wall inaccuracies

practical solution  
for every bathroom



## LYE4 + LYSW1S

**square or rectangular shower enclosure  
with a single opening door and a side panel LYSW1S**

- easy assembly wall profile
- flexible support bar allows the setting of different angles and can solve the wall inaccuracies
- quality seals for a great result



5 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**



## LYE4 + LZ

**single opening door for niche installation**

- quality aluminium profile for niche installation
- set of profiles increases the door installation width up by 10-25 mm
- we recommend consulting an expert



5 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

### LYSW1S (side panel to shower door LYE4)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LYSW1S/800	1135008232	767-792	1949*	-	brilliant	transparent	S
LYSW1S/900	1135008234	867-892	1949*	-	brilliant	transparent	S
LYSW1S/1000	1135008236	967-992	1949*	-	brilliant	transparent	S

h\* - height including supporting elements


### LYSW1S (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYSW1S	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z

■ **LYSW1S** - universal LEFT and RIGHT solution



■ **LYSW1S+ LYE4**



### LZ (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LZ	229-1940025-00	25-35	1941	-	brilliant	-	S


h\* - height including supporting elements

### LZ (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LZ	-	up to 1950 mm	brilliant	-	Z

■ **LYE4 + LZ**

■ LZ- set of profiles



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Limaya Line**  
easy to be

simplicity  
and variability

## LYE2

single opening door

5 mm ESG Tempered glass  
**Transparent 02**



Profile colour  
**Brilliant 00**



one type of door  
for all combinations

- corner entry with a double door opening
- single opening door with a side panel
- single opening door for a niche installation

- easy entrance thanks to a both-way opening - in and out
- standard height 1 950 mm



- Quality lifting profile for easy opening



- Tempered glass 5 mm with bottom seal



- Slim door handle underlining the whole concept of this series

### LYE2 (single shower door)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LYE2/800	1135008242	767–792	1958*	690	brilliant	transparent	S
LYE2/900	1135008244	867–892	1958*	790	brilliant	transparent	S
LYE2/1000	1135008246	967–992	1958*	890	brilliant	transparent	S





h\* - height including supporting elements

### LYE2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYE2	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z

#### ■ LYE2 + LYE2

#### ■ LYE2 - universal LEFT and RIGHT solution



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199–217).

**Limaya Line**  
easy to be

pure design line  
without compromise



## LYE2 + LYSW1S

square or rectangular shower enclosure  
with a single opening door and a side panel LYSW1S

- easy assembly wall profile
- single opening door with a side panel
- simplicity of the whole assembly



5 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

practical solution  
of the wall inaccuracies



## LYE2 + LZ

single opening door for niche installation

- set of profiles can solve the wall inaccuracies
- we recommend consulting an expert
- set of profiles increases the door installation width up by 10-25 mm



5 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO**

### LYSW1S (side panel to shower door LYE2)


type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LYSW1S/800	1135008232	767-792	1949*	-	brilliant	transparent	S
LYSW1S/900	1135008234	867-892	1949*	-	brilliant	transparent	S
LYSW1S/1000	1135008236	967-992	1949*	-	brilliant	transparent	S

h\* - height including supporting elements


### LYSW1S (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LYSW1S	up to 1000 mm	up to 1950 mm	brilliant	transparent	Z

■ LYSW1S - universal LEFT and RIGHT solution



■ LYE2 + LYSW1S



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



### LZ (set of profiles)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LZ	229-1940025-00	25-35	1941	-	brilliant	-	S


h\* - height including supporting elements

### LZ (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LZ	-	up to 1950 mm	brilliant	-	Z

■ LYE2 + LZ

■ LZ- set of profiles



installation for niche	installation width (Y)
LYE2/800 + LZ	780-815
LYE2/900 + LZ	880-915
LYE2/1000 + LZ	980-1015

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Lega Line**  
comfort within reach

# Lega Line

Affordable solution for those,  
who prefer price-performance  
ratio in their lives...

New generation of enclosures practically combining 4 and 5 mm safety glass with focus on customer comfort during the usage. This complete line offers a practical solution for the standard models as well as large area showers which are more and more popular. Simplicity, durability and excellent price-performance ratio determines this line to become a new star in your bathroom.

■ universal pivot mechanism allows  
inside and outside opening

■ durable double rollers on the top  
assure smooth motion of the door

■ robust handle made of polished  
stainless steel



## Lega Line

comfort within reach

safety glass  
in solid frame

### LLR2

quadrant shower enclosure  
with two sliding doors

5 + 4 mm ESG Tempered glass  
**Transparent O2 / Grape 11**  
5 mm door glass + 4 mm fixed glass

Profile colour  
**Brilliant O0 / White O4**



possibility to order a pre-assembled  
version for easy installation



■ LLR2



■ The best-selling LLR model now also in a **white** profile and with the popular **Grape glass**

■ Durable double top and bottom rollers

■ Solid handle made of stainless steel


#### LLR2 (quadrant shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
LLR2/800	555-800000-04-02	776-798	1900	410	white	transparent	S
LLR2/800	555-800000-04-11	776-798	1900	410	white	grape	S
LLR2/800	555-800000-00-02	776-798	1900	410	brilliant	transparent	S
LLR2/800	555-800000-00-11	776-798	1900	410	brilliant	grape	S
LLR2/900	555-900000-04-02	876-898	1900	560	white	transparent	S
LLR2/900	555-900000-04-11	876-898	1900	560	white	grape	S
LLR2/900	555-900000-00-02	876-898	1900	560	brilliant	transparent	S
LLR2/900	555-900000-00-11	876-898	1900	560	brilliant	grape	S
<b>LLR2 in EASY ASSEMBLY version</b>							
LLR2/800 *	555-800005-04-02	776-798	1900	410	white	transparent	S
LLR2/800 *	555-800005-04-11	776-798	1900	410	white	grape	S
LLR2/800 *	555-800005-00-02	776-798	1900	410	brilliant	transparent	S
LLR2/800 *	555-800005-00-11	776-798	1900	410	brilliant	grape	S
LLR2/900 *	555-900005-04-02	876-898	1900	560	white	transparent	S
LLR2/900 *	555-900005-04-11	876-898	1900	560	white	grape	S
LLR2/900 *	555-900005-00-02	876-898	1900	560	brilliant	transparent	S
LLR2/900 *	555-900005-00-11	876-898	1900	560	brilliant	grape	S

R - standard radius R550



Nominal sizes of shower enclosures are designed for **INSTALLATION ON THE TRAY** and they are always assembled with indentation from the edge of the tray. With **INSTALLATION ON THE TILES** there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).



#### EASY ASSEMBLY \*

Product comes in a pre-assembled version. Just joint the left and right parts, screw to the wall, adjust and seal.

# Lega Line

comfort within reach

## LLS2

square or rectangular shower enclosure  
solution with practical corner entry



5 + 4 mm ESG Tempered glass  
**Transparent O2 / Intimglass 21**  
5 mm door glass + 4 mm fixed glass



Profile colour  
**Brilliant OO**



■ Durable double top and bottom rollers for smooth door movement and bottom tilt function for easy maintenance

■ Handle made of polished stainless steel



With special attention paid to the balance between the look and functionality of every detail, the **Lega Line** is ready to take its place in any modern bathroom.



### LLS2 (shower enclosure with two sliding doors)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
LLS2/800 *	554-800000-00-02	775-790	1900	430	brilliant	transparent	S
LLS2/800 *	554-800000-00-21	775-790	1900	430	brilliant	intimglass	O
LLS2/900 *	554-900000-00-02	875-890	1900	460	brilliant	transparent	S
LLS2/900 *	554-900000-00-21	875-890	1900	460	brilliant	intimglass	O
LLS2/1000x800	554-1008000-00-02	(975-990)x(775-790)	1900	505	brilliant	transparent	S
LLS2/1000x800	554-1008000-00-21	(975-990)x(775-790)	1900	505	brilliant	intimglass	O
LLS2/1200x800	554-1208000-00-02	(1175-1190)x(775-790)	1900	525	brilliant	transparent	O
LLS2/1200x800	554-1208000-00-21	(1175-1190)x(775-790)	1900	525	brilliant	intimglass	O
LLS2/1200x900	554-1209000-00-02	(1175-1190)x(875-890)	1900	535	brilliant	transparent	S
LLS2/1200x900	554-1209000-00-21	(1175-1190)x(875-890)	1900	535	brilliant	intimglass	O


### LLS2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLS2	up to 1200 mm	up to 1900 mm	brilliant	transparent	Z
LLS2	up to 1200 mm	up to 1900 mm	brilliant	intimglass	Z



#### EASY ASSEMBLY \*

Product comes in a pre-assembled version. Just joint the left and right parts, screw to the wall, adjust and seal.



## Lega Line

comfort within reach

## RothETC glass surface treatment

universal pivot mechanism  
for opening inward and outward



### LLD01

single opening shower door for niche installation  
or for combination with side panel LLB



5 mm ESG Tempered glass  
Transparent O2 / Intimglass 21



Profile colour  
Brilliant OO



#### LLD01 (single shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
LLD01/700 *	551-7000000-00-02	675-705	1900	460	brilliant	transparent	S
LLD01/700 *	551-7000000-00-21	675-705	1900	460	brilliant	intimglass	O
LLD01/800 *	551-8000000-00-02	775-805	1900	560	brilliant	transparent	S
LLD01/800 *	551-8000000-00-21	775-805	1900	560	brilliant	intimglass	O
LLD01/900 *	551-9000000-00-02	875-905	1900	660	brilliant	transparent	S
LLD01/900 *	551-9000000-00-21	875-905	1900	660	brilliant	intimglass	O
LLD01/1000 *	551-1000000-00-02	975-1005	1900	760	brilliant	transparent	S
LLD01/1000 *	551-1000000-00-21	975-1005	1900	760	brilliant	intimglass	O


#### LLD01 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD01	up to 1000 mm	up to 1900 mm	brilliant	transparent	Z
LLD01	up to 1000 mm	up to 1900 mm	brilliant	intimglass	Z



#### EASY ASSEMBLY \*

Products LLD01 and LLD2 come in a pre-assembled version. Just screw to the wall, adjust and seal.




#### LLD02 (double shower door for a niche)

type	ordering No.	installation width (y)	height (h)	door width (c)	profile	glass	delivery method
LLD02/700 *	552-7000000-00-02	675-705	1900	475	brilliant	transparent	S
LLD02/700 *	552-7000000-00-21	675-705	1900	475	brilliant	intimglass	O
LLD02/800 *	552-8000000-00-02	775-805	1900	575	brilliant	transparent	S
LLD02/800 *	552-8000000-00-21	775-805	1900	575	brilliant	intimglass	O
LLD02/900 *	552-9000000-00-02	875-905	1900	675	brilliant	transparent	S
LLD02/900 *	552-9000000-00-21	875-905	1900	675	brilliant	intimglass	O
LLD02/1000 *	552-1000000-00-02	975-1005	1900	775	brilliant	transparent	O
LLD02/1000 *	552-1000000-00-21	975-1005	1900	775	brilliant	intimglass	O

#### LLD02 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD02	up to 1200 mm	up to 1900 mm	brilliant	transparent	Z
LLD02	up to 1200 mm	up to 1900 mm	brilliant	intimglass	Z



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Lega Line

comfort within reach

timeless solution  
with a decent look



## LLB

**fixed side panel for combination with shower door**  
**LLD01, LLD02, LLD2 and LLD4**

- Brillant aluminium profile
- 5-year extended warranty
- tempered safety glass



5 mm ESG Tempered glass  
**Transparent O2 / Intimglass 21**



Profile colour  
**Brillant OO**

### LLB (side panel to LLD01, LLD02, LLD2 or LLD4)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
LLB/700 *	553-7000000-00-02	679-705	1900	brilliant	transparent	S
LLB/700 *	553-7000000-00-21	679-705	1900	brilliant	intimglass	O
LLB/750 *	553-7500000-00-02	729-755	1900	brilliant	transparent	S
LLB/750 *	553-7500000-00-21	729-755	1900	brilliant	intimglass	O
LLB/800 *	553-8000000-00-02	779-805	1900	brilliant	transparent	S
LLB/800 *	553-8000000-00-21	779-805	1900	brilliant	intimglass	O
LLB/900 *	553-9000000-00-02	879-905	1900	brilliant	transparent	S
LLB/900 *	553-9000000-00-21	879-905	1900	brilliant	intimglass	O
LLB/1000 *	553-1000000-00-02	979-1005	1900	brilliant	transparent	S
LLB/1000 *	553-1000000-00-21	979-1005	1900	brilliant	intimglass	O

\* LLB cannot be used as a self-standing side panel

### LLB (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLB	up to 1000 mm	up to 1900 mm	brilliant	transparent	Z
LLB	up to 1000 mm	up to 1900 mm	brilliant	intimglass	Z




#### EASY ASSEMBLY \*


Products of Lega Line come in a pre-assembled version. Just screw to the wall, adjust and seal.

combinations of doors  
with a side panel LLB

#### ■ LLD02 + LLB



#### ■ LLD2 + LLB



#### ■ LLD4 + LLB



## Lega Line

comfort within reach

durable rollers  
with bottom tilt function



### LLD2

sliding shower door for niche installation  
or for combination with a side panel LLB

- RothETC glass surface treatment for easy maintenance
- double rollers
- 5-year extended warranty
- possibility of choosing the glass in Intimglass design



5 + 4 mm ESG Tempered glass  
**Transparent O2 / Intimglass 21**  
5 mm door glass + 4 mm fixed panel




Profile colour  
**Brilliant OO**

#### LLD2 (sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
LLD2/1000 *	556-1000000-00-02	970-1005	1900	385	brilliant	transparent	S
LLD2/1000 *	556-1000000-00-21	970-1005	1900	385	brilliant	intimglass	O
LLD2/1200 *	556-1200000-00-02	1170-1205	1900	485	brilliant	transparent	S
LLD2/1200 *	556-1200000-00-21	1170-1205	1900	485	brilliant	intimglass	O
LLD2/1300 *	556-1300000-00-02	1270-1305	1900	535	brilliant	transparent	S
LLD2/1400 *	556-1400000-00-02	1370-1405	1900	585	brilliant	transparent	S
LLD2/1400 *	556-1400000-00-21	1370-1405	1900	585	brilliant	intimglass	O
LLD2/1500 *	556-1500000-00-02	1470-1505	1900	585	brilliant	transparent	O
LLD2/1600 *	556-1600000-00-02	1570-1605	1900	685	brilliant	transparent	S
LLD2/1600 *	556-1600000-00-21	1570-1605	1900	685	brilliant	intimglass	O

■ **LLD2**  
universal LEFT and RIGHT solution



#### LLD2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD2	up to 1800 mm	up to 1900 mm	brilliant	transparent	Z
LLD2	up to 1800 mm	up to 1900 mm	brilliant	intimglass	Z



#### EASY ASSEMBLY \*

Product LLD2 comes in a pre-assembled version. Just screw to the wall, adjust and seal.

practical solution  
for large format showers



### LLD4

sliding shower door for niche installation  
or for combination with a side panel LLB

- four-part shower door
- RothETC glass surface treatment
- great price-performance ratio
- Intimglass design available in atypical solution only




5 + 4 mm ESG Tempered glass  
**Transparent O2**  
5 mm door glass + 4 mm fixed panel



Profile colour  
**Brilliant OO**

#### LLD4 (four-part sliding shower door)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
LLD4/1100	574-1100000-00-02	1080-1110	1900	420	brilliant	transparent	S
LLD4/1200	574-1200000-00-02	1180-1210	1900	470	brilliant	transparent	S
LLD4/1300	574-1300000-00-02	1280-1310	1900	520	brilliant	transparent	S
LLD4/1400	574-1400000-00-02	1380-1410	1900	570	brilliant	transparent	S
LLD4/1500	574-1500000-00-02	1480-1510	1900	620	brilliant	transparent	S
LLD4/1600	574-1600000-00-02	1580-1610	1900	670	brilliant	transparent	S



#### LLD4 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLD4	up to 2000 mm	up to 1900 mm	brilliant	transparent	Z
LLD4	up to 2000 mm	up to 1900 mm	brilliant	intimglass	Z

! Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Lega Line

comfort within reach

### PD3N

sliding shower door with both side entrance  
for niche installation

#### both-side sliding door entrance

4 mm ESG Tempered glass  
Transparent O2 / Grape 11  
Polystyrol Rugiada 16



Profile colour  
Brilliant OO / White O4



#### EASY ASSEMBLY version for quick mountage

- magnetic seals closure in the same colour as the profiles
- standard height 1900 mm
- robust aluminium frame



#### EASY ASSEMBLY

Product PD3N comes in a pre-assembled version. Just screw to the wall, adjust and seal.




■ Bottom tilting for easy maintenance of the shower door

■ Both-side sliding door opening

#### PD3N (sliding shower door with a both-sided entrance)

type	ordering No.	installation width (y)	height (h)	entrance size (c)	profile	glass	delivery method
PD3N/800	413-800000-04-02	750-805	1900	375	white	transparent	S
PD3N/800	413-800000-04-11	750-805	1900	375	white	grape	S
PD3N/800	413-800000-04-16	750-805	1900	375	white	rugiada	S
PD3N/800	413-800000-00-02	750-805	1900	375	brillant	transparent	S
PD3N/800	413-800000-00-11	750-805	1900	375	brillant	grape	S
PD3N/900	413-900000-04-02	850-905	1900	440	white	transparent	S
PD3N/900	413-900000-04-11	850-905	1900	440	white	grape	S
PD3N/900	413-900000-04-16	850-905	1900	440	white	rugiada	S
PD3N/900	413-900000-00-02	850-905	1900	440	brillant	transparent	S
PD3N/900	413-900000-00-11	850-905	1900	440	brillant	grape	S
PD3N/1000	413-100000-04-02	950-1005	1900	505	white	transparent	S
PD3N/1000	413-100000-04-11	950-1005	1900	505	white	grape	S
PD3N/1000	413-100000-04-16	950-1005	1900	505	white	rugiada	S
PD3N/1000	413-100000-00-02	950-1005	1900	505	brillant	transparent	S
PD3N/1000	413-100000-00-11	950-1005	1900	505	brillant	grape	S



#### PD3N (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	transparent	Z
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	grape	Z
PD3N	up to 1200 mm	up to 2000 mm	white	rugiada	Z
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	rauch	Z
PD3N	up to 1200 mm	up to 2000 mm	white / brillant	satinato	Z

Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

## Lega Line

comfort within reach

### LLBD

side panel  
to sliding shower door PD3N



wide choice  
of glass panels

4 mm ESG Tempered glass  
Transparent O2 / Grape 11



Profile colour  
Brilliant OO / White O4




universal left  
and right solution

- standard dimensions of side panel from 700 to 1 000 mm
- universal left and right solution
- wide choice of glass panel types


#### LLBD (side panel to PD3N)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
LLBD/700	412-700000-04-02	675-695	1900	white	transparent	S
LLBD/700	412-700000-04-11	675-690	1900	white	grape	S
LLBD/700	412-700000-00-02	675-695	1900	brilliant	transparent	S
LLBD/700	412-700000-00-11	675-690	1900	brilliant	grape	S
LLBD/750	412-750000-04-02	725-745	1900	white	transparent	S
LLBD/750	412-750000-04-11	725-745	1900	white	grape	S
LLBD/750	412-750000-00-02	725-745	1900	brilliant	transparent	S
LLBD/750	412-750000-00-11	725-745	1900	brilliant	grape	S
LLBD/800	412-800000-04-02	775-795	1900	white	transparent	S
LLBD/800	412-800000-04-11	775-795	1900	white	grape	S
LLBD/800	412-800000-00-02	775-795	1900	brilliant	transparent	S
LLBD/800	412-800000-00-11	775-795	1900	brilliant	grape	S
LLBD/900	412-900000-04-02	875-895	1900	white	transparent	S
LLBD/900	412-900000-04-11	875-895	1900	white	grape	S
LLBD/900	412-900000-00-02	875-895	1900	brilliant	transparent	S
LLBD/900	412-900000-00-11	875-895	1900	brilliant	grape	S
LLBD/1000	412-100000-04-02	975-995	1900	white	transparent	S
LLBD/1000	412-100000-04-11	975-995	1900	white	grape	S
LLBD/1000	412-100000-00-02	975-995	1900	brilliant	transparent	S
LLBD/1000	412-100000-00-11	975-995	1900	brilliant	grape	S

#### PD3N + LLBD




#### LLBD + PD3N



#### LLBD

universal LEFT and RIGHT solution




#### LLBD (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	transparent	Z
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	grape	Z
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	rauch	Z
LLBD	up to 1000 mm	up to 1900 mm	white / brilliant	satinato	Z

■ installation width of PD3N in combination with side panel LLBD

type	installation width (Z)
PD3N/800 + LLBD	774-829
PD3N/900 + LLBD	874-929
PD3N/1000 + LLBD	974-1029



Nominal sizes of shower enclosures are designed for INSTALLATION ON THE TRAY and they are always assembled with indentation from the edge of the tray. With INSTALLATION ON THE TILES there is a risk, that the size of shower enclosure will be smaller than measured width of the tiles. It is necessary to follow the size charts on "TECHNICAL SPECIFICATION" pages at the end of our catalogue (p. 199-217).

**Atypical**  
customized solution

# Atypical dimensions

Tailored shower enclosure  
within 30 working days!

Do you have a small bathroom or you need a non-standard solution for your shower enclosure? As one of the few manufacturers we will offer you the opportunity to obtain a shower enclosure tailor made.

Extra warranty for 5 years.

We produce shower enclosures tailored to any space. Whether you have limited space or plan the bathroom in an attic or you need a non standard solution we will tune everything into the last millimetre.




■ Details of the connection of shortened side wall to the bathtub





■ Bevel cut on fixed element



## „U“ cabins



Limit (minimum) widths of glass for design with cutout




As standard it is possible to order sliding doors with a side wall from the KINEDOOR and AMBIENT LINE series for the „U“ shower cabin. If you require a „U“ cabin in other product lines such as TOWER LINE, EXCLUSIVE LINE or PROXIMA LINE, do not hesitate to contact our sales department with a request. We will be happy to offer you solutions tailored to your needs.


## Extension profiles

# Extension profiles


Enable to solve construction unevenness without the necessity to order an atypical product.




**HITECH LINE**  
whole series  
**ELEGANT LINE**  
whole series  
**TOWER LINE**  
models:  
TR2, TDXX, TB




**TOWER LINE**  
models:  
TR1, TCXX,  
TZN(P)1  
TZOL(P)1




**TOWER LINE**  
TCN1, TDN1,  
TZN(P)1




**PROXIMA LINE**  
models:  
PXD01N, PXD2N




**LEGA LIFT LINE**  
whole series



**LEGA LINE**  
models:  
LLR2, LLS2,  
LLO1, LLD02,  
LLD2, LLB



**LEGA LINE**  
model:  
PD3N



**PROJECT LINE**  
models:  
LD3, LSB



**note:**  
maximum recommended number  
of adjustable profiles by drawings  
above (three or two profiles shown  
in red colour)

Extension profiles					
Product series	type	extension width	profile colour	height (length)	ordering No.
HITECH LINE, ELEGANT LINE TOWER LINE (TR2, TDXX)	EASY INSTALL	10 mm	brilliant	2000 mm	P3061
		10 mm	silver	2000 mm	P3062
TOWER LINE (TB)	EASY INSTALL	10 mm	brilliant	1991 mm	P3533
		10 mm	silver	1991 mm	P3534
TOWER LINE (TR1, TCXX, TZN(P)1, TZOL(P)1)	WALL PROFILE TOWER	10 mm	brilliant	2000 mm	P3063
		10 mm	silver	2000 mm	P3064
TOWER LINE (TCN1, TDN1, TZN(P)1)	PROFILE TO NICHE	25 mm	brilliant	1989 mm	P5096
		25 mm	silver	1989 mm	P5097
PROXIMA LINE (PXD01N, PXD2N)	WALL PROFILE PROXIMA	20 mm	brilliant	2000 mm	P5092
LEGA LIFT LINE (LZD01, LZC01, LZR2, LZCN2)	WALL PROFILE LEGA LIFT	25 mm	brilliant	1948 mm	P4066
LEGA LIFT LINE (LZB, LZ)	WALL PROFILE LEGA LIFT	25 mm	brilliant	1937 mm	P4067
LEGA LINE (whole series)	WALL PROFILE LEGA	15 mm	brilliant	1900 mm	P5093
		15 mm	white	1900 mm	P5094
LEGA LINE (PD3N)	WALL PROFILE PD3N	13 mm	brilliant	1900 mm	P5095
		13 mm	white	1900 mm	P4055
PROJECT LINE (LD3, LSB)	WALL PROFILE LD3, LSB	10 mm	white	1800 mm	P2376

# Profiles and glass panels finishing

- profiles in 4 colours
- choose from 8 types of glass panels
- RothETC glass protection
- tempered safety glass 3, 4, 5, 6 and 8 mm
- for every shower enclosure the possibility of different glass panel

For different options in glass panels look at the table showing the shower enclosure characteristics.



■ 00 brillant      ■ 01 silver (elox)



■ 04 white      ■ 05 black elox



■ 02 transparent      ■ 03 chinchilla      ■ 14 rauch      ■ 15 satinato



■ 11 grape      ■ 20 intimglass (tower line)      ■ 21 intimglass (lega line)      ■ 16 rugiada (polystyrol)

# Perfect glass

Protective shield against  
dirt and limescale!

Shower enclosures without special glass treatment can suffer from limescale and impurities. With Roth shower enclosures this will not happen. Our unique coating based on nanotechnology Roth ETC will protect your shower enclosure to look like new all the time.

## Protective coating will last 10 years

Persistent water repellent layer RothETC with oleophobic properties guarantees long-life inert surface protection with very good mechanical and chemical consistence. Thanks to these characteristics your shower enclosure will be very easy to clean.



■ Glass with **RothETC** treatment  
FREE to all Roth glass panels



■ Untreated glass




## SHELF UNI

### hanging shelf

Get organized in cosmetics in your shower and get rid of hygiene products around the edges of the tray. Buy a new universal shelf, which could be easily hang on a screen of your shower enclosure, so you have everything nicely accessible and organized. Double hanging shelf SHELF UNI is made of quality materials in the chrome finishing, which guarantees 100% protection against corrosion.

Dimension: 750x250 mm



### SHELF UNI

type	ordering No.	delivery method
SHELF UNI - hanging shelf	8000279	S



## CLEANING BLADE

### MAKE YOUR MAINTENANCE EASIER

Do you want to make your cleaning of shower enclosure easier? We recommend to wipe the glass after every usage with a practical cleaning blade. The width of the wiping surface is 245 mm. The practical chrome handle has a length of 150 mm.



### CLEANING BLADE

type	ordering No.	delivery method
CLEANING BLADE	8000201	S
CLEANING BLADE HOLDER	8000247	S



**Shower trays**  
of cast marble

# Marmo Prestol


- a new generation of durable shower trays using the advantages of cast marble
- top quality processing
- 5-year warranty



## PRESTOL

rectangular cast marble shower tray  
with integrated double siphon and cover  
made out of polished stainless steel

120×80 / 120×90  
140×80 / 140×90  
150×80 / 150×90



PRESTOL	L	W	H	E	Ø
1200×800	1200	800	35	97	2×60
1200×900	1200	900	35	97	2×60
1400×800	1400	800	35	97	2×60
1400×900	1400	900	35	97	2×60
1500×800	1500	800	35	97	2×60
1500×900	1500	900	35	97	2×60



■ Solid stainless steel cover highlights the design of this product



■ A double self-cleaning siphon drain guarantee better drainage rate which ensures that during showering water will not accumulate anywhere

### PRESTOL (cast marble shower tray with stainless steel cover)

type	ordering No.	dimension (mm)	delivery method
PRESTOL 1200×800	8000300	1200×800×35	S
PRESTOL 1200×900	8000301	1200×900×35	S
PRESTOL 1400×800	8000302	1400×800×35	S
PRESTOL 1400×900	8000303	1400×900×35	S
PRESTOL 1500×800	8000304	1500×800×35	S
PRESTOL 1500×900	8000305	1500×900×35	S

prices including 6 pcs of adjustable legs (adjustability 8 ± 10 cm) and the stainless steel cover

### PRESTOL (double siphon drain)


type	ordering No.	description	delivery method
PRESTOL SIPHON	8100300	double siphon drain Ø 60	S

## Marmo Neo

Cast marble shower trays

**NEW**


- > new series of cast marble shower trays in a modern straight design
- > the perfectly smooth surface of the trays is non-absorbent and accessible over the entire surface for easy cleaning
- > high quality barrier-free solution easy maintenance



## Marmo Neo ROUND

quadrant cast marble shower tray

80x80 / 90x90 / 100x100



### Marmo Neo ROUND


type	ordering No.	dimension (mm)	delivery method
Marmo Neo ROUND 800	MAN RO 080080 2E	800x800x30, R550	S
Marmo Neo ROUND 900	MAN RO 090090 2E	900x900x30, R550	S
Marmo Neo ROUND 1000	MAN RO 100100 2E	1000x1000x30, R550	S

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

## Marmo Neo SQUARE

square cast marble shower tray

80x80 / 90x90 / 100x100




Marmo Neo SQUARE	L	W	H1	H2	E	S	Ø
800x800	800	800	30	110-130	45	180	90
900x900	900	900	30	110-130	45	180	90
1000x1000	1000	1000	30	110-130	45	180	90

Marmo Neo SQUARE							
type	ordering No.	dimension (mm)	delivery method	type	ordering No.	dimension (mm)	delivery method
Marmo Neo SQUARE 800	MAN SQ 080080 2E	800x800x30	S	Marmo Neo SQUARE 900	MAN SQ 090090 2E	900x900x30	S
Marmo Neo SQUARE 1000	MAN SQ 100100 2E	1000x1000x30	S				

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

rectangular cast marble shower tray

90x70 / 80x90 / 100x80 / 100x90 / 110x80  
110x90 / 120x80 / 120x90 / 140x80 / 140x90



Marmo Neo SQUARE	L	W	H1	H2	E	S1	S2	Ø
900x700	900	700	30	110-130	50	350	180	90
800x900	800	900	30	110-130	50	450	180	90
1000x800	1000	800	30	110-130	50	400	180	90
1000x900	1000	900	30	110-130	50	450	180	90
1100x800	1100	800	30	110-130	50	400	180	90
1100x900	1100	900	30	110-130	50	450	180	90
1200x800	1200	800	35	115-135	50	400	180	90
1200x900	1200	900	35	115-135	50	450	180	90
1400x800	1400	800	35	115-135	50	400	180	90
1400x900	1400	900	35	115-135	50	450	180	90

Marmo Neo SQUARE							
type	ordering No.	dimension (mm)	delivery method	type	ordering No.	dimension (mm)	delivery method
Marmo Neo SQUARE 9070	MAN SQ 090070 2E	900x700x30	S	Marmo Neo SQUARE 8090	MAN SQ 080090 2E	800x900x30	S
Marmo Neo SQUARE 8090	MAN SQ 080090 2E	800x900x30	S	Marmo Neo SQUARE 10080	MAN SQ 100080 2E	1000x800x30	S
Marmo Neo SQUARE 10080	MAN SQ 100080 2E	1000x800x30	S	Marmo Neo SQUARE 10090	MAN SQ 100090 2E	1000x900x30	S
Marmo Neo SQUARE 10090	MAN SQ 100090 2E	1000x900x30	S	Marmo Neo SQUARE 11080	MAN SQ 110080 2E	1100x800x30	S
Marmo Neo SQUARE 11080	MAN SQ 110080 2E	1100x800x30	S	Marmo Neo SQUARE 11090	MAN SQ 110090 2E	1100x900x30	S
Marmo Neo SQUARE 11090	MAN SQ 110090 2E	1100x900x30	S	Marmo Neo SQUARE 12080	MAN SQ 120080 2E	1200x800x35	S
Marmo Neo SQUARE 12080	MAN SQ 120080 2E	1200x800x35	S	Marmo Neo SQUARE 12090	MAN SQ 120090 2E	1200x900x35	S
Marmo Neo SQUARE 12090	MAN SQ 120090 2E	1200x900x35	S	* Marmo Neo SQUARE 14080	MAN SQ 140080 2E	1400x800x35	S
* Marmo Neo SQUARE 14080	MAN SQ 140080 2E	1400x800x35	S	* Marmo Neo SQUARE 14090	MAN SQ 140090 2E	1400x900x35	S
* Marmo Neo SQUARE 14090	MAN SQ 140090 2E	1400x900x35	S				

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm) / \* 8 pcs of legs included


## Marmo Classic

Cast marble shower trays

## DREAM-M

quadrant cast marble shower tray

80x80 / 90x90



### DREAM-M


type	ordering No.	dimension (mm)	delivery method
DREAM-M 800	8000151	800x800x30, R550	S
DREAM-M 900	8000150	900x900x30, R550	S
front panel 800	8010069	height=100	S
front panel 900	8010067	height=100	S

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

## TAHITI-M

quadrant cast marble shower tray

80x80 / 90x90 / 100x100



### TAHITI-M


type	ordering No.	dimension (mm)	delivery method
TAHITI-M 800	8000064	800x800x30, R550	S
TAHITI-M 900	8000065	900x900x30, R550	S
TAHITI-M 1000	8000082	1000x1000x30, R550	S
front panel 800	8010069	height=100	S
front panel 900	8010067	height=100	S
front panel 1000	8010074	height=100	S

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

## ALOHA-M

square cast marble shower tray

80x80 / 90x90



ALOHA-M	L	W	H1	H2	S	P	E	R	Ø
800x800	800	800	30	110-130	150	100	40	550	90
900x900	900	900	30	110-130	180	100	40	550	90



### ALOHA-M


type	ordering No.	dimension (mm)	delivery method
ALOHA-M 800	8000155	800x800x30	S
ALOHA-M 900	8000154	900x900x30	S
front panel 800	8010070	height=100	S
front panel 900	8010066	height=100	S

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

## MACAO-M

square cast marble shower tray

80x80 / 90x90 / 100x100



MACAO-M	L	W	H1	H2	S	P	E	R	Ø
800x800	800	800	30	110-130	170	100	90	550	90
900x900	900	900	30	110-130	190	100	90	550	90
1000x1000	1000	1000	30	110-130	190	100	90	550	90



### MACAO-M

type	ordering No.	dimension (mm)	delivery method
MACAO-M 800	8000062	800x800x30	S
MACAO-M 900	8000063	900x900x30	S
MACAO-M 1000	8000165	1000x1000x30	S
front panel 800	8010070	height=100	S
front panel 900	8010066	height=100	S
front panel 1000	8010081	height=100	S

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)

Cast marble trays are possible to build directly into the floor. A part of these trays is a set of legs for the case, if you would like to place the tray on an already tiled floor.  
In case, you have decided to place the tray on an already tiled floor by using the legs, we recommend ordering an acrylic front cover panel together with the tray.




## Marmo Classic

Cast marble shower trays

### RECTAN-M

rectangular cast marble shower tray

100×80 / 120×80 / 120×90



RECTAN-M	L	W	H1	H2	E	S	Ø
1000×800	1000	800	30	110-130	50	150	90
1200×800	1200	800	30	110-130	50	150	90
1200×900	1200	900	30	110-130	50	190	90

#### RECTAN-M

type	ordering No.	dimension (mm)	delivery method
RECTAN-M 1000×800	8000166	1000×800×30	S
RECTAN-M 1200×800	8000167	1200×800×30	S
RECTAN-M 1200×900	8000168	1200×900×30	S

prices including 5 pcs of adjustable legs (adjustability 8 ÷ 10 cm)



■ MACAO-M, TAHITI-M



■ ALOHA-M, DREAM-M, RECTAN-M




Anti slip finishing of cast marble trays for more safety in the shower.

## Acrylic shower trays

- up to 10 years warranty
- asymmetric and classic shapes
- wide selection of dimensions

almost widest range in the market



- 800×800
- 900×900
- 1000×1000

- 800×800
- 900×900
- 1000×1000


- 800×1000 / 1100 / 1200 / 1300 / 1400 / 1500
- 900×1000 / 1100 / 1200 / 1300 / 1400 / 1500
- 800×900 / 1200×1000
- 750×1500 / 1600

## Shower trays acrylic

### FLAT ROUND

quadrant acrylic shower tray

80×80 / 90×90 / 100×100



FLAT ROUND	L	W	H	S	E	P	R	Ø
800×800	800	800	50	150	50	80	550	90
900×900	900	900	50	150	50	80	550	90
1000×1000	1000	1000	50	175	50	80	550	90



#### FLAT ROUND


type	ordering No.	dimension (mm)	delivery method
FLAT ROUND	8000115	800×800×50, R550	S
FLAT ROUND	8000116	900×900×50, R550	S
FLAT ROUND	8000117	1000×1000×50, R550	S
front PANEL 800	8010082	height=80	S
front PANEL 900	8010083	height=80	S
front PANEL 1000	8010084	height=80	S



### HAWAII

quadrant acrylic shower tray

80×80 / 90×90



HAWAII	L	W	H1	H2	S	E	R	Ø
800×800	800	800	35	150	180	70	550	60
900×900	900	900	35	160	185	70	550	60



#### HAWAII


type	ordering No.	dimension (mm)	delivery method
HAWAII 800	8000007	800×800×150, R550	S
HAWAII 900	8000026	900×900×160, R550	S



### HAWAII-P

quadrant self-supporting shower tray  
made out of coextruded shell with PU support

80×80 / 90×90



HAWAII-P	L	W	H	W1	S	R	Ø
800×800	800	800	170	250	140	550	60
900×900	900	900	170	350	140	550	60




#### HAWAII-P

type	ordering No.	dimension (mm)	delivery method
HAWAII-P 800	8000024	800×800×170, R550	S
HAWAII-P 900	8000025	900×900×170, R550	S

### FLAT KVADRO

square acrylic shower tray

80×80 / 90×90 / 100×100



FLAT KVADRO	L	W	H	S	E	P	Ø
800×800	800	800	50	150	50	80	90
900×900	900	900	50	150	50	80	90
1000×1000	1000	1000	50	175	50	80	90



#### FLAT KVADRO

type	ordering No.	dimension (mm)	delivery method
FLAT KVADRO	8000118	800×800×50	S
FLAT KVADRO	8000119	900×900×50	S
FLAT KVADRO	8000120	1000×1000×50	S
front panel 800	8010085	height=80	S
front panel 900	8010086	height=80	S
front panel 1000	8010087	height=80	S

#### ■ front panel FLAT KVADRO




## Shower trays acrylic

### COLA

square acrylic shower tray

80×80 / 90×90



**COLA**


COLA	L	W	H1	H2	S	E	Ø
800×800	800	800	35	170	170	70	60
900×900	900	900	35	170	225	70	60

type	ordering No.	dimension (mm)	delivery method
COLA 800	8000003	800×800×160	S
COLA 900	8000004	900×900×170	S

### COLA-P

square self-supporting shower tray  
made out of coextruded shell with PU support

80×80 / 90×90



**COLA-P**

COLA-P	L	W	H	S	Ø
800×800	800	800	170	140	60
900×900	900	900	170	140	60


type	ordering No.	dimension (mm)	delivery method
COLA-P 800	8000022	800×800×170	S
COLA-P 900	8000023	900×900×170	S

### FLAT KVADRO

rectangular acrylic shower tray



750×1500 / 1600  
800×900 / 1200×1000  
800×1000 / 1100 / 1200 / 1300 / 1400 / 1500  
900×1000 / 1100 / 1200 / 1300 / 1400 / 1500




**FLAT KVADRO**

FLAT KVADRO	L	W	H	S	E	Ø
800×900	800	900	50	150	50	90
1000×800	1000	800	50	150	50	90
1000×900	1000	900	50	150	50	90
1100×800	1100	800	50	150	50	90
1100×900	1100	900	50	150	50	90
1200×800	1200	800	50	150	50	90
1200×900	1200	900	50	150	50	90
1200×1000	1200	1000	50	150	50	90
1300×800	1300	800	50	150	50	90
1300×900	1300	900	50	150	50	90
1400×800	1400	800	50	150	50	90
1400×900	1400	900	50	150	50	90
1500×800	1500	800	50	150	50	90
1500×900	1500	900	50	150	50	90
1500×750	1500	750	60	160	50	90
1600×750	1600	750	60	160	50	90

type	ordering No.	dimension (mm)	delivery method
FLAT KVADRO	8000161	800×900×50	S
FLAT KVADRO	8000121	1000×800×50	S
FLAT KVADRO	8000122	1000×900×50	S
FLAT KVADRO	8000248	1100×800×50	S
FLAT KVADRO	8000252	1100×900×50	S
FLAT KVADRO	8000123	1200×800×50	S
FLAT KVADRO	8000124	1200×900×50	S
FLAT KVADRO	8000160	1200×1000×50	S
FLAT KVADRO	8000249	1300×800×50	S
FLAT KVADRO	8000253	1300×900×50	S
FLAT KVADRO	8000125	1400×800×50	S
FLAT KVADRO	8000254	1400×900×50	S
FLAT KVADRO	8000251	1500×800×50	S
FLAT KVADRO	8000255	1500×900×50	S
FLAT KVADRO	8000243	1500×750×60	S
FLAT KVADRO	8000244	1600×750×60	S

■ shower tray FLAT KVADRO 1500



## Shower trays acrylic

### INTEGRO

rectangular acrylic shower tray with integrated siphon cover made out of polished stainless steel



### INTEGRO

type	ordering No.	dimension (mm)	delivery method
INTEGRO 1200	8000169	1200x900x50	S
INTEGRO 1400	8000170	1400x900x50	S
INTEGRO 1500	8000171	1500x900x50	S



### Set of legs

LEGS FOR ACRYLIC SHOWER TRAYS	5139200	5 pcs of adjustable legs, set of mounts for wall mounting	S	30 €
-------------------------------	---------	-----------------------------------------------------------	---	------

FLAT acrylic trays are possible to build directly into the floor. In case you would like to place the tray on legs, we recommend to use a set of legs for acrylic trays. This set contains 5 pcs of adjustable legs (with them you will easily level the tray) and a set of mounts (for fixing the tray to the wall).

legs adjustability: 7 ÷ 9 cm

### FLAT STONE EFFECT

#### ■ FLAT STONE White




#### ■ FLAT STONE Anthracite



Shower trays FLAT STONE EFFECT are designed not only for modern bathrooms with a spacious shower.

These shower trays are made of structured acrylate with a very pleasant surface to touch. FLAT STONE EFFECT is produced in the shape of a square in three dimensions or in a rectangle design, where there are an incredible 14 dimensions to choose from. All this in two colour variants - ageless sanitary white colour and modern anthracite.



FLAT STONE	L	W	H	S	E	Ø
800x800	800	800	50	150	50	90
900x900	900	900	50	150	50	90
1000x1000	1000	1000	50	175	50	90
800x900	800	900	50	150	50	90
1000x800	1000	800	50	150	50	90
1000x900	1000	900	50	150	50	90
1100x800	1100	800	50	150	50	90
1100x900	1100	900	50	150	50	90
1200x800	1200	800	50	150	50	90
1200x900	1200	900	50	150	50	90
1200x1000	1200	1000	50	150	50	90
1300x800	1300	800	50	150	50	90
1300x900	1300	900	50	150	50	90
1400x800	1400	800	50	150	50	90
1400x900	1400	900	50	150	50	90
1500x800	1500	800	50	150	50	90
1500x900	1500	900	50	150	50	90

type	colour	ordering No.	dimension (mm)	delivery method
FLAT STONE 80x80	anthracite	8000310	800x800x50	S
	white	8000311		
FLAT STONE 90x90	anthracite	8000312	900x900x50	S
	white	8000313		
FLAT STONE 100x100	anthracite	8000314	1000x1000x50	S
	white	8000315		
FLAT STONE 80x90	anthracite	8000316	800x900x50	S
	white	8000317		
FLAT STONE 100x80	anthracite	8000318	1000x800x50	S
	white	8000319		
FLAT STONE 100x90	anthracite	8000320	1000x900x50	S
	white	8000321		
FLAT STONE 110x80	anthracite	8000322	1100x800x50	S
	white	8000323		
FLAT STONE 110x90	anthracite	8000324	1100x900x50	S
	white	8000325		
FLAT STONE 120x80	anthracite	8000326	1200x800x50	S
	white	8000327		
FLAT STONE 120x90	anthracite	8000328	1200x900x50	S
	white	8000329		
FLAT STONE 120x100	anthracite	8000330	1200x1000x50	S
	white	8000331		
FLAT STONE 130x80	anthracite	8000332	1300x800x50	S
	white	8000333		
FLAT STONE 130x90	anthracite	8000334	1300x900x50	S
	white	8000335		
FLAT STONE 140x80	anthracite	8000336	1400x800x50	S
	white	8000337		
FLAT STONE 140x90	anthracite	8000338	1400x900x50	S
	white	8000339		
FLAT STONE 150x80	anthracite	8000340	1500x800x50	S
	white	8000341		
FLAT STONE 150x90	anthracite	8000342	1500x900x50	S
	white	8000343		

## Bathtubs

### freestanding

# Alegria Silk

What is Solid Surface?

Solid Surface is a modern composite material which combines gentle feel of silk and noble solidness of marble..

- non-porous surface is completely smooth - does not absorb any colouring substances
- chemical resistant against all kinds of domestic solvents, acids and washing liquids
- hard and durable - scratch resistant and in comparison to ceramics also shock resistant
- does not fade - resistant to UV-rays
- eco friendly - can be recycled and after being ground, can be used for new Solid Surface items production




Solid Surface in standard comes in white colour and half matte gloss. Solid Surface contains a natural material called bauxite which is mixed in vacuum with polyester resin and hardened at high temperature. is used for visually and geometrically flawless interior design elements.



## ALEGRIA SILK

elegant freestanding bathtub made of Solid Surface material

194×83



! Note:  
Before installation the drain has to be pre-built into the floor

## ALEGRIA SILK

type	ordering No.	dimension (mm)	volume (l)	delivery method
ALEGRIA SILK	9950000	1945x830x715	280	Z


The integrated drain cover of this bathtub is specially made of Solid Surface material

weight: 128 kg

## STONE AMORE

freestanding bathtub made of cast marble

160×85



## STONE AMORE

type	ordering No.	dimension (mm)	volume (l)	delivery method
STONE AMORE	9930000	1600x850x720	260	Z

Bathtub is equipped by the integrated siphon

weight: 127 kg

## Bathtubs acrylic

### KUBIC NEO

rectangular acrylic bathtub



150×70 / 160×70 / 160×80  
170×75 / 180×80



recommended  
accessories legs  
EXCLUSIVE page 175



BV2, TZVL(P)2, TV1, TV2,  
SWING, PXV2, PXVB, PXV1,  
LLV2, LLVB, SCREEN MINI



### KUBIC NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method
KUBIC NEO 150×70	9300000	1500×700	200	S
KUBIC NEO 160×70	9310000	1600×700	210	S
KUBIC NEO 160×80	9320000	1600×800	225	S
KUBIC NEO 170×75	9330000	1700×750	230	S
KUBIC NEO 180×80	9340000	1800×800	250	S
Front PANEL 150	9300001	1500×560	-	S
Front PANEL 160	9310001	1600×560	-	S
Front PANEL 170	9330001	1700×560	-	S
Front PANEL 180	9340001	1800×560	-	S
Side PANEL 70	9300002	700×560	-	S
Side PANEL 75	9330002	750×560	-	S
Side PANEL 80	9340002	800×560	-	S

KUBIC NEO	L	W	H	G	D	R	P	S	E	F	Z
1500×700	1500	700	435	330	970	40	560	400	1360	560	290
1600×700	1600	700	435	330	1070	40	560	400	1460	560	290
1600×800	1600	800	455	350	1070	40	560	450	1460	660	290
1700×750	1700	750	435	330	1170	40	560	420	1560	610	290
1800×800	1800	800	455	350	1270	40	560	450	1660	660	290



### KUBIC NEO SLIM

rectangular acrylic bathtub with extra slim rim

150×70 / 160×70 / 160×80  
170×75 / 180×80

#### KUBIC NEO SLIM

type	ordering No.	dimension (mm)	volume (l)	delivery method
KUBIC NEO SLIM 150×70	9300SLM	1500×700	200	S
KUBIC NEO SLIM 160×70	9310SLM	1600×700	210	S
KUBIC NEO SLIM 160×80	9320SLM	1600×800	225	S
KUBIC NEO SLIM 170×75	9330SLM	1700×750	230	S
KUBIC NEO SLIM 180×80	9340SLM	1800×800	250	S



recommended  
accessories legs  
EXCLUSIVE page 175

BV2, TZVL(P)2, TV1, TV2,  
SWING, PXV2, PXVB, PXV1,  
LLV2, LLVB, SCREEN MINI

KUBIC NEO	L	W	H	G	D	R	P	S	E	F	Z
1500×700	1500	700	435	340	970	18	560	400	1360	560	290
1600×700	1600	700	435	340	1070	18	560	400	1460	560	290
1600×800	1600	800	455	360	1070	18	560	450	1460	660	290
1700×750	1700	750	435	340	1170	18	560	420	1560	610	290
1800×800	1800	800	455	360	1270	18	560	450	1660	660	290

New extra slim rim for more luxurious bathing ...





## Bathtubs acrylic

### MALIBU NEO

rectangular acrylic bathtub

160×75 / 170×75 / 180×80



recommended  
accessories legs  
EXCLUSIVE page 175



BV2, TZVL(P)2, TV1, TV2,  
SWING, PXV2, PXVB, PXV1,  
LLV2, LLVB, SCREEN MINI

#### MALIBU NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method
MALIBU NEO 160	9200000	1600×750	200	S
MALIBU NEO 170	9190000	1700×750	210	S
MALIBU NEO 180	9180000	1795×795	220	S
Front PANEL 160	9310001	1600×560	-	S
Front PANEL 170	9330001	1700×560	-	S
Front PANEL 180	9180001	1800×580	-	S
Side PANEL 75	9330002	750×560	-	S
Side PANEL 80	9180002	800×580	-	S

MALIBU NEO	L	W	H	G	D	R	P	S	E	F	F1	Z
1600×750	1600	750	430	330	1010	40	560	375	1480	630	60	255
1700×750	1700	750	465	320	1150	40	560	445	1590	630	60	255
1795×795	1795	795	465	330	1210	40	580	465	1680	670	60	270

### KUBIC NEO

rectangular acrylic bathtub


120×70 / 130×70



recommended  
accessories legs  
EXCLUSIVE page 175



BV2, TV1, TV2, SWING,  
PXV1, SCREEN MINI



#### KUBIC NEO



type	ordering No.	dimension (mm)	volume (l)	delivery method
KUBIC NEO 120	9350000	1200×700	145	S
KUBIC NEO 130	9360000	1300×700	160	S

KUBIC NEO	L	W	H	G	D	R	S	E	F	Z
1200×700	1200	700	435	330	670	40	400	1060	560	290
1300×700	1300	700	435	330	770	40	400	1160	560	290

### KUBIC


rectangular acrylic bathtub

190×90



#### KUBIC 190

type	ordering No.	dimension (mm)	volume (l)	delivery method
KUBIC 190	9390000	1900×900	220	S



## Bathtubs acrylic

### SAVONA

rectangular acrylic bathtub

170×80




recommended accessories legs EXCLUSIVE page 175

BV2, TZVL(P)2, TV1, TV2, SWING, PXV2, PXVB, PXV1, LLV2, LLVB, SCREEN MINI

#### SAVONA 170

type	ordering No.	dimension (mm)	volume (l)	delivery method
SAVONA 170	8970000	1700×800	190	S



### SAVONA

rectangular acrylic bathtub

180×80




recommended accessories legs EXCLUSIVE page 175

BV2, TZVL(P)2, TV1, TV2, SWING, PXV2, PXVB, PXV1, LLV2, LLVB, SCREEN MINI

#### SAVONA 180

type	ordering No.	dimension (mm)	volume (l)	delivery method
SAVONA 180	8980000	1800×800	200	S



### VANESSA NEO

rectangular acrylic bathtub

140×70 / 150×70 / 160×70 / 170×70



recommended accessories legs EXCLUSIVE page 175



BV2, TZVL(P)2, TV1, TV2, SWING, PXV2, PXVB, PXV1, LLV2, LLVB, SCREEN MINI





#### VANESSA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method
VANESSA NEO 140	9550000	1400×700	150	S
VANESSA NEO 150	9560000	1500×700	155	S
VANESSA NEO 160	9570000	1600×700	160	S
VANESSA NEO 170	9580000	1700×700	165	S
Front PANEL 140	9550001	1400×530	-	S
Front PANEL 150	8930001	1500×530	-	S
Front PANEL 160	8940001	1600×530	-	S
Front PANEL 170	8950001	1700×530	-	S
Side PANEL 70	8930002	700×530	-	S

■ front panel for VANESSA NEO bathtub



■ side panel for VANESSA NEO bathtub



VANESSA NEO	L	W	H	G	D	R	P	S	E	F	Z
1400×700	1400	700	435	330	870	40	530	380	1270	560	270
1500×700	1500	700	435	330	970	40	530	380	1370	560	270
1600×700	1600	700	435	330	1070	40	530	380	1470	560	270
1700×700	1700	700	435	330	1170	40	530	380	1570	510	270

## Bathtubs acrylic

### ACTIVA

asymmetric corner acrylic bathtub

150x90 / 160x90 / 170x90




BV2, TZVL(P)2, TV1, TV2,  
SWING, PXV1, SCREEN MINI

ACTIVA				
type	ordering No.	dimension (mm)	volume (l)	delivery method
ACTIVA 150 (L)	8410000	1500x900	200	S
ACTIVA 150 (P)	8400000	1500x900	200	S
ACTIVA 160 (L)	8430000	1600x900	210	S
ACTIVA 160 (P)	8420000	1600x900	210	S
ACTIVA 170 (L)	8170000	1700x900	280	S
ACTIVA 170 (P)	8180000	1700x900	280	S
Front PANEL 150	8400001	height=580	-	S
Front PANEL 160	8420001	height=580	-	S
Front PANEL 170	8170001	height=580	-	S



ACTIVA	L	W	H	G	G1	D	R	P	L1	E	F	Z	Z1	Z2
1500x900	1500	900	465	330	240	1000	45	580	800	1430	570	210	340	230
1600x900	1600	900	465	330	240	1200	45	580	850	1500	570	210	340	230
1700x900	1700	900	475	330	240	1250	45	580	950	1570	570	210	340	230



### MINI

asymmetric corner acrylic bathtub


160x70



recommended  
accessories legs  
EXCLUSIVE page 175



PXV1, SCREEN MINI



### MINI

type	ordering No.	dimension (mm)	volume (l)	delivery method
MINI 160x70 (L)	N-8000073	1600x700	210	S
MINI 160x70 (P)	N-8000074	1600x700	210	S

### EVA SIDE

asymmetric corner acrylic bathtub

150x80

EVA SIDE bathtub  
with front and side panels





recommended  
accessories legs  
EXCLUSIVE page 175



### EVA SIDE

type	ordering No.	dimension (mm)	volume (l)	delivery method
EVA SIDE 150x80 (L)	9780000	1500x800	200	S
EVA SIDE 150x80 (P)	9790000	1500x800	200	S
Front PANEL 150 (L)	9780001	height=540	-	S
Front PANEL 150 (P)	9790001	height=540	-	S
Side PANEL 55	9780002	height=540	-	S



## Bathtubs acrylic

### ISABELLA NEO

asymmetric corner acrylic bathtub

170×110



ISABELLA NEO				
type	ordering No.	dimension (mm)	volume (l)	delivery method
ISABELLA NEO 170 (L)	9700000	1700×1100	240	S
ISABELLA NEO 170 (P)	9710000	1700×1100	240	S
front PANEL 170 (L)	9700001	height=570	-	S
front PANEL 170 (P)	9710001	height=570	-	S

■ panel for ISABELLA NEO bathtub



### HARMONIA



asymmetric corner acrylic bathtub

150×95 / 160×95



HARMONIA				
type	ordering No.	dimension (mm)	volume (l)	delivery method
HARMONIA 150 (L)	9800000	1500×950	200	S
HARMONIA 150 (P)	9810000	1500×950	200	S
HARMONIA 160 (L)	9820000	1600×950	225	S
HARMONIA 160 (P)	9830000	1600×950	225	S
Front PANEL 150	9800001	height=560	-	S
Front PANEL 160	9820001	height=560	-	S

HARMONIA	L	W	H	G	D	R	P	S	E	Z1	Z2
1500×950	1500	950	450	330	1050	40	560	440	1390	905	515
1600×950	1600	950	470	335	1205	40	560	475	1490	965	515



### ACTIVA NEO

spacious asymmetric corner bathtub


150×90 / 160×90 / 170×90



recommended  
accessories legs  
EXCLUSIVE page 175

#### ACTIVA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method
ACTIVA NEO 150 (L)	9840000	1500×900	210	S
ACTIVA NEO 150 (P)	9850000	1500×900	210	S
ACTIVA NEO 160 (L)	9860000	1600×900	215	S
ACTIVA NEO 160 (P)	9870000	1600×900	215	S
ACTIVA NEO 170 (L)	9880000	1700×900	230	S
ACTIVA NEO 170 (P)	9890000	1700×900	230	S
Front PANEL 150	9840001	height=570	-	S
Front PANEL 160	9860001	height=570	-	S
Front PANEL 170	9880001	height=570	-	S



New design of ACTIVA NEO bathtub provides maximum space to enjoy a comfortable bath even in smaller bathrooms!

ACTIVA NEO	L	W1	W	H	G	D	R	P	L1	E	F	Z	Z1	Z2
1500×900	1500	900	800	460	350	1000	40	570	850	1380	560	530	300	550
1600×900	1600	900	800	460	350	1100	40	570	980	1480	560	530	300	550
1700×900	1600	900	800	460	350	1150	40	570	1060	1580	560	530	300	550

## Bathtubs acrylic

# KUBIC ASYMMETRIC

asymmetric corner acrylic bathtub

160×103 / 170×110




recommended  
accessories legs  
EXCLUSIVE page 175



### KUBIC ASYMMETRIC

type	ordering No.	dimension (mm)	volume (l)	delivery method
KUBIC ASYMMETRIC 160 (L)	9660000	1600×1030	220	S
KUBIC ASYMMETRIC 160 (P)	9670000	1600×1030	220	S
KUBIC ASYMMETRIC 170 (L)	9680000	1700×1100	240	S
KUBIC ASYMMETRIC 170 (P)	9690000	1700×1100	240	S
Front PANEL 160	9660001	height=520	-	S
Front PANEL 170	9680001	height=520	-	S

KUBIC ASYM.	L	W	H	G	D	R	P	E	F	F2	F3
1600×1030	1600	1030	450	320	950	50	520	1450	870	630	500
1700×1100	1700	1100	450	320	1050	50	520	1550	940	700	570



# AMORE

rectangular acrylic bathtub for two persons

180×120



we recommend to order  
2 x set of legs EXCLUSIVE  
page 175




BV2, TZVL(P)2, TV1, TV2,  
SWING, PXV2, PXVB, PXV1,  
LLV2, LLVB, SCREEN MINI



### AMORE

type	ordering No.	dimension (mm)	volume (l)	delivery method
AMORE	9720000	1800×1200	300	S
Front PANEL 180	9720001	1800×580	-	S
Side PANEL 120	9720002	1200×580	-	S



### FLORA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method
FLORA NEO 120	9590000	1200×1200	140	S
Front PANEL 120	9590001	height=520	-	S




recommended  
accessories legs  
EXCLUSIVE page 175

# FLORA NEO

corner acrylic bathtub

120×120



### SABRINA NEO

type	ordering No.	dimension (mm)	volume (l)	delivery method
SABRINA NEO 140	9620000	1400×1400	250	S
SABRINA NEO 150	9630000	1500×1500	320	S
Front PANEL 140	9620001	height=570	-	S
Front PANEL 150	9630001	height=570	-	S




recommended  
accessories legs  
EXCLUSIVE page 175

# SABRINA NEO

corner acrylic bathtub

140×140 / 150×150



SABRINA NEO	L	A	B	H	G	D	R	P	S	E	Z
1400×1400	1400	1410	1950	480	320	990	40	570	630	1370	1150
1500×1500	1500	1540	2100	480	320	1100	40	570	750	1600	1310

# Bath screens

Do you need a practical bath screen? Fixed, with sliding door, opening or folding?  
Just pick ...



practical solution  
with shelf and hanger



## BV2

bath screen with a both-way opening  
and a fixed part with practical accessories

- minimalist design with no frame
- safety glass with RothETC treatment
- lifting mechanism



5 mm ESG Tempered glass  
**Transparent 02**



Profile colour  
**Brilliant 00**

### BV2 (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method
BV2/900	290-9000000-00-02	880-890	1505	450-460	430	brilliant	transparent	0

h\* - height including supporting elements



■ BV2 - universal LEFT and RIGHT solution



■ Practical solution with hanger and shelf



■ Both-way opening and fixed part



## Bath screens practical supplement

practical solution  
for comfortable relaxation



### TZVL2 / TZVP2

folding bath screen  
with a swivel wall system

- profile with quality lifting mechanism for easy opening
- RothETC glass surface treatment against the limescale
- door hinges are embedded from inside to the glass level for better convenience when cleaning



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO



#### TZVL2 / TZVP2 (folding bath screen)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method
TZVL2/1000	742-100000L-00-02	990–1005	1400*	420	520	brilliant	transparent	0
TZVP2/1000	742-100000P-00-02	990–1005	1400*	420	520	brilliant	transparent	0
TZVL2/1100	742-110000L-00-02	1090–1105	1400*	470	570	brilliant	transparent	0
TZVP2/1100	742-110000P-00-02	1090–1105	1400*	470	570	brilliant	transparent	0
TZVL2/1200	742-120000L-00-02	1190–1205	1400*	520	620	brilliant	transparent	0
TZVP2/1200	742-120000P-00-02	1190–1205	1400*	520	620	brilliant	transparent	0

h\* - height including supporting elements


#### TZVL2 / TZVP2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	transparent	Z
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	chinchilla	Z
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	rauch	Z
TZVL(P)2	up to 1600 mm	up to 1500 mm	brilliant	satinato	Z




Door hinges in chrome surface finishing

■ TZVL2



■ TZVP2



stability  
and easy maintenance



### TV2

bath screen with a both-way opening and a fixed part

- minimalist design without frame
- safety glass with RothETC treatment
- both-way opening



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO



#### TV2 (bath screen with a both-way opening and a fixed part)

type	ordering No.	installation width (y)	height (h)	width (c1)	width (c2)	profile	glass	delivery method
TV2	732-9700000-00-02	970–980	1427*	430	540	brilliant	transparent	S

h\* - height including supporting elements

#### TV2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
TV2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z
TV2	up to 1800 mm	up to 1500 mm	brilliant	chinchilla	Z
TV2	up to 1800 mm	up to 1500 mm	brilliant	rauch	Z
TV2	up to 1800 mm	up to 1500 mm	brilliant	satinato	Z

■ TV2 - universal LEFT and RIGHT solution



■ Lifting mechanism for easy opening

## Bath screens practical supplement

simple line  
in elegant concept

design and functional  
solution to every bathroom



### TV1

bath screen with a both-way opening

- elegant frameless solution
- RothETC glass surface treatment against the limescale
- extended 5-years warranty
- universal left / right solution



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO / Silver (elox) O1**



#### TV1 (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method
TV1/700	706-7000000-00-02	670-685	1400	620	brilliant	transparent	S
TV1/700	706-7000000-01-02	670-685	1400	620	silver	transparent	S
TV1/750	706-7500000-00-02	720-735	1400	670	brilliant	transparent	S
TV1/750	706-7500000-01-02	720-735	1400	670	silver	transparent	S
TV1/800	706-8000000-00-02	770-785	1400	720	brilliant	transparent	S
TV1/800	706-8000000-01-02	770-785	1400	720	silver	transparent	S

h\* - height including supporting elements

#### TV1 (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	transparent	Z
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	chinchilla*	Z
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	rauch	Z
TV1	up to 1000 mm	up to 1600 mm	silver / brilliant	satinato*	Z

\* in the CHINCHILLA and SATINATO versions it is necessary to distinguish between LEFT and RIGHT solutions



■ Handle with chrome surface finishing

■ TV1 - universal LEFT and RIGHT solution



### SWING

bath screen with a both-way opening

- design of frameless bath screen
- safety glass with RothETC treatment
- lifting mechanism



6 mm ESG Tempered glass  
**Transparent O2**



Profile colour  
**Brilliant OO / Silver (elox) O1**



#### SWING (bath screen with a both-way opening)



type	ordering No.	installation width (y)	height (h)	width (c1)	profile	glass	delivery method
SWING/850	657-8500000-00-02	855-870	1400	805	brilliant	transparent	S
SWING/850	657-8500000-01-02	855-870	1400	805	silver	transparent	S

h\* - height including supporting elements



■ Both-way screen opening saves the space

■ SWING - universal LEFT and RIGHT solution



## Bath screens practical supplement

focused on detail  
and perfection



## SCREEN MINI

bath screen with a both-way opening

- profile with quality lifting mechanism for easy opening
- RothETC glass surface treatment against the limescale
- extended 5-years warranty



8 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO



### SCREEN MINI (bath screen with a both-way opening)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method
SCREEN MINI	217-7000000-00-09	660	1 400	635	brilliant	transparent	S

solution for your bathroom  
in a simple design



## PXV1

fixed bath screen

- safety glass with RothETC treatment
- brace with a chrome surface finish
- extended 5-years warranty



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO




### PXV1 (fixed bath screen)

type	ordering No.	installation width (y)	height (h)	width (c)	profile	glass	delivery method
PXV1/700	453-7000000-00-02	635-660	1517*	—	brilliant	transparent	S
PXV1/750	453-7500000-00-02	685-710	1517*	—	brilliant	transparent	S
PXV1/800	453-8000000-00-02	735-760	1517*	—	brilliant	transparent	O

h\* - height including supporting elements

#### ■ SCREEN MINI - universal LEFT and RIGHT solution




■ Quality polished hinges for improved stability



#### ■ PXV1 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXV1	up to 1200 mm	up to 1500 mm	brilliant	transparent	Z

#### ■ PXV1 - universal LEFT and RIGHT solution



■ Brace in a chrome finish ensures perfect stability

## Bath screens practical supplement

precise processing  
attention to detail

functionality and originality  
for everyone



■ PXV2P

### PXV2L / PXV2P

bath screen with sliding door

- aluminium profiles and ball bearing rollers
- RothETC glass surface treatment
- all installation options:  
along the wall, to a corner or to a niche



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO



■ PXVB + PXV2P

### PXVB

bath side panel for PXV2L / PXV2P

- safety glass with RothETC treatment
- standard height 1 500 mm



6 mm ESG Tempered glass  
Transparent O2



Profile colour  
Brilliant OO

#### PXV2L / PXV2P (bath screen with sliding door)


type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
PXV2L/1500	451-150000L-00-02	1480-1530	1500	600	brilliant	transparent	0
PXV2P/1500	451-150000P-00-02	1480-1530	1500	600	brilliant	transparent	0
PXV2L/1600	451-160000L-00-02	1580-1630	1500	650	brilliant	transparent	0
PXV2P/1600	451-160000P-00-02	1580-1630	1500	650	brilliant	transparent	0
PXV2L/1700	451-170000L-00-02	1680-1730	1500	700	brilliant	transparent	0
PXV2P/1700	451-170000P-00-02	1680-1730	1500	700	brilliant	transparent	0
PXV2L/1800	451-180000L-00-02	1780-1830	1500	750	brilliant	transparent	0
PXV2P/1800	451-180000P-00-02	1780-1830	1500	750	brilliant	transparent	0




#### PXV2L / PXV2P (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
PXV2L(P)2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z

■ PXV2L



■ PXV2P



■ Multifunctional towel holder on the fixed glass

#### PXVB (side panel)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
PXVB/700	452-700000-00-02	680-705	1500	brilliant	transparent	0
PXVB/750	452-750000-00-02	730-755	1500	brilliant	transparent	0
PXVB/800	452-800000-00-02	780-805	1500	brilliant	transparent	0




#### PXVB (atypical customized solution)


type	width (y)	height (h)	profile	glass	delivery method
PXVB	do 900 mm	up to 1500 mm	brilliant	transparent	Z

■ PXVB - universal LEFT and RIGHT solution

■ PXV2L + PXVB



■ PXVB + PXV2L + PXVB



■ PXVB + PXV2P + PXVB

## Bath screens practical supplement

polished profiles  
and quality rollers

technical solution  
underlines the style



### LLV2

bath screen with sliding door

- aluminium profiles and ball bearing rollers
- RothETC glass surface treatment
- all installation options:  
along the wall, to a corner or to a niche



5 + 4 mm ESG Tempered glass  
**Transparent O2**  
5 mm door glass + 4 mm fixed panel



Profile colour  
**Brilliant O0**

#### LLV2 (bath screen with sliding door)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
LLV2/1200	572-1200000-00-02	1170–1205	1500	485	brilliant	transparent	S
LLV2/1400	572-1400000-00-02	1370–1405	1500	585	brilliant	transparent	S
LLV2/1500	572-1500000-00-02	1470–1505	1500	685	brilliant	transparent	S
LLV2/1600	572-1600000-00-02	1570–1605	1500	685	brilliant	transparent	S




#### LLV2 (atypical customized solution)

type	width (y)	height (h)	profile	glass	delivery method
LLV2	up to 1800 mm	up to 1500 mm	brilliant	transparent	Z



■ Solid handle made out of polished stainless steel  
underlines the decent design of the series

■ LLV2 - universal LEFT and RIGHT solution



### LLVB

bath side panel for LLV2

- safety glass with RothETC treatment
- standard height 1 500 mm



5 + 4 mm ESG Tempered glass  
**Transparent O2**  
5 mm door glass + 4 mm fixed panel



Profile colour  
**Brilliant O0**

#### LLVB (side panel)

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
LLVB/700	573-7000000-00-02	679–705	1500	brilliant	transparent	S
LLVB/750	573-7500000-00-02	729–755	1500	brilliant	transparent	S
LLVB/800	573-8000000-00-02	779–805	1500	brilliant	transparent	S
LLVB/900	573-9000000-00-02	879–905	1500	brilliant	transparent	S




#### LLVB (atypical customized solution)



type	width (y)	height (h)	profile	glass	delivery method
LLVB	do 900 mm	up to 1500 mm	brilliant	transparent	Z

■ LLVB - universal LEFT and RIGHT solution

■ LLV2 + LLVB




■ LLV2 + LLV2 + LLVB




■ LLV2 + LLV2 + LLVB

## Accessories for trays and bathtubs


### Shower tray siphons




■ chrome-plastic Ø 50/60



■ chrome-plastic Ø 90




■ metal lux Ø 90




■ reduced chrome plastic Ø 90

#### Shower tray siphons


type	ordering No.	delivery method
SHOWER TRAY SIPHON - CHROME-PLASTIC Ø 50/60	8100002	S
SHOWER TRAY SIPHON - CHROME-PLASTIC Ø 90	8100016	S
SHOWER TRAY SIPHON - METAL LUX Ø 90	8100021	S
SHOWER TRAY SIPHON REDUCED - CHROME-PLASTIC Ø 90	8100034	S
SHOWER TRAY SIPHON - ST. STEEL GRID Ø 50/60	8100000	S
SHOWER TRAY SIPHON - WHITE PLASTIC Ø 50/60	8100001	S
SHOWER TRAY SIPHON - ST. STEEL GRID Ø 90	8100014	S
SHOWER TRAY SIPHON - WHITE PLASTIC Ø 90	8100015	S




■ st. steel grid Ø 50/60



■ white plastic Ø 50/60




■ st. steel grid Ø 90



■ white plastic Ø 90

### Bathtub siphons



■ automatic bathtub siphon



■ bathtub siphon with an overflow filling



The extended bathtub siphon  
is intended for use with SAVONA 170

#### Bathtub siphons

type	ordering No.	delivery method
BATHTUB SIPHON COMPLETE - METAL (L=570 mm)	8100011	S
EXTENDED BATHTUB SIPHON COMPLETE - METAL (L=800 mm) *	8100013	S
BATHTUB SIPHON WITH AN OVERFLOW FILLING (L=570 mm)	8100022	S
EXTENDED BATHTUB SIPHON WITH AN OVERFLOW FILLING (L=800 mm) *	8100023	S

### Bathtub legs EXCLUSIVE

Used as a supporting element to ensure a simple way to level the bathtub before its underwalling and paneling.  
Part of the leg package is also a set of mounts for fixing the bathtub to the wall.  
Legs adjustability: 12–18 cm



#### Bathtub legs

type	ordering No.	delivery method
BATHTUB LEGS EXCLUSIVE	5139300	S

### Mounting kit for shower trays

Tray sealing system recommended by a producer.

#### CONTENTS:

- silicone sealant PROFI – 310ml
- covering strip 2x100 cm
- self adhesive plastic foam belt
- mounting instructions



#### Mounting kit

type	ordering No.	delivery method
MOUNTING KIT FOR TRAYS	8010142	S

## Project Line project solutions

### WALK PRO



large frameless shower screen



6 mm ESG Tempered glass  
Transparent



Profile colour  
Brilliant



■ Universal LEFT and RIGHT solution

#### WALK PRO (large frameless shower screen)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
WALK PRO 800	4000683	781–786	2025*	—	brilliant	transparent	0
WALK PRO 900	4000684	881–886	2025*	—	brilliant	transparent	0
WALK PRO 1000	4000685	981–986	2025*	—	brilliant	transparent	0
WALK PRO 1200	4000686	1181–1186	2025*	—	brilliant	transparent	0
WALK PRO 1400	4000687	1381–1386	2025*	—	brilliant	transparent	0

h\* - height including supporting elements

■ Maximum support bar length: 1 200 mm



■ WALK PRO

### AUSTIN



quadrant shower enclosure  
with single opening door



6 mm ESG Tempered glass  
Pattern



Profile colour  
Silver



### DENVER

quadrant shower enclosure  
with single opening door



6 mm ESG Tempered glass  
Rauch



Profile colour  
Silver



■ R - standard radius R550  
■ Universal LEFT and RIGHT solution


#### AUSTIN / DENVER

type	ordering No.	installation width (y)	height (h)	entrance width (c)	profile	glass	delivery method
AUSTIN 800	N0128	780–800	1950	590	silver	pattern	S
AUSTIN 900	N0018	880–900	1950	590	silver	pattern	S
DENVER 800	N0268	780–800	1950	590	silver	rauch	S
DENVER 900	N0269	880–900	1950	590	silver	rauch	S

**Project Line**  
project solutions

## HOUSTON NEO

quadrant shower enclosure  
with two sliding doors



## PORLAND NEO

quadrant shower enclosure  
with two sliding doors for combination  
with SEMIDEEP NEO or VIKI LUX shower trays

■ R - standard radius R550  
■ Ball bearing rollers with bottom tilt function



4 mm ESG Tempered glass  
Matt Glass



Profile colour  
Brilliant



### HOUSTON NEO / PORTLAND NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
HOUSTON NEO 800	N0648	780-790	1900	420	brilliant	matt glass	S
HOUSTON NEO 900	N0649	880-890	1900	550	brilliant	matt glass	S
PORTLAND NEO 800	N0656	780-790	1650	420	brilliant	matt glass	S
PORTLAND NEO 900	N0657	880-890	1650	550	brilliant	matt glass	S

## ORLANDO NEO


square shower enclosure with two sliding doors



4 mm ESG Tempered glass  
Matt Glass




Profile colour  
Brilliant



### ORLANDO NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
ORLANDO NEO 800	N0654	780-790	1900	415	brilliant	matt glass	S
ORLANDO NEO 900	N0655	880-890	1900	485	brilliant	matt glass	S

■ Ball bearing rollers with a bottom tilt function



## Project Line project solutions

### FLOWER NEO

quadrant shower enclosure with two sliding doors



4 mm ESG Tempered glass  
Pattern




Profile colour  
Brilliant



#### FLOWER NEO


type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
FLOWER NEO/800	N0652	780-790	1900	420	brilliant	pattern	S
FLOWER NEO/900	N0653	880-890	1900	550	brilliant	pattern	S

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm



### MADISON NEO

quadrant shower enclosure  
with two sliding doors for combination  
with SEMIDEEP NEO or VIKI LUX shower trays



4 mm ESG Tempered glass  
Rauch




Profile colour  
Brilliant



#### MADISON NEO

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
MADISON NEO/800	N0658	780-790	1650	420	brilliant	rauch	S
MADISON NEO/900	N0659	880-890	1650	550	brilliant	rauch	S

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm



### LD3 / LSB

sliding shower door for niche installation  
or for combination with a side panel LSB





3 mm ESG Tempered glass  
Grape 11  
3 mm polystyrol Damp 04



Profile colour  
White 04

■ LD3 - universal LEFT and RIGHT solution




#### LD3 (sliding shower door) / LSB (side panel)

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
LD3/800	215-800000-04-04	760-820	1800	400	white	damp	S
LD3/800	215-800000-04-11	760-820	1800	400	white	grape	S
LD3/900	215-900000-04-04	880-940	1800	480	white	damp	S
LD3/900	215-900000-04-11	880-940	1800	480	white	grape	S
LD3/950	215-950000-04-04	940-1000	1800	520	white	damp	S
LD3/950	215-950000-04-11	940-1000	1800	520	white	grape	S
LSB/750	216-750000-04-04	740-800	1800	—	white	damp	0
LSB/750	216-750000-04-11	740-800	1800	—	white	grape	0
LSB/850	216-850000-04-04	800-860	1800	—	white	damp	0
LSB/850	216-850000-04-11	800-860	1800	—	white	grape	0
LSB/900	216-900000-04-04	860-920	1800	—	white	damp	S
LSB/900	216-900000-04-11	860-920	1800	—	white	grape	0



■ LD3 + LSB



## Project Line project solutions

### OBR2

quadrant shower enclosure with two sliding doors



6 mm ESG Tempered glass  
Transparent




Profile colour  
Brilliant



#### OBR2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBR2/800	4000701	775-790	1850	440	brilliant	transparent	S
OBR2/900	4000702	875-890	1850	540	brilliant	transparent	S

Ball bearing rollers with bottom tilt function / Standard radius: R 550 mm



### OBS2

square shower enclosure with two sliding doors



4 mm ESG Tempered glass  
Transparent




Profile colour  
Brilliant



#### OBS2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBS2/800	4000703	775-790	1850	480	brilliant	transparent	S
OBS2/900	4000704	875-890	1850	480	brilliant	transparent	S

Ball bearing rollers with bottom tilt function



### OBD2


sliding shower door to niche or for combination with a side panel OBB



6 mm ESG Tempered glass  
Transparent




Profile colour  
Brilliant



#### OBD2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBD2/1000	4000705	980-1010	1850	390	brilliant	transparent	S
OBD2/1200	4000706	1180-1210	1850	490	brilliant	transparent	S
OBD2/1400	4000707	1380-1410	1850	590	brilliant	transparent	S

Ball bearing rollers with bottom tilt function / Universal LEFT and RIGHT solution



### OBD01

single opening door to a niche or for combination with a side panel OBB



4 mm ESG Tempered glass  
Transparent




Profile colour  
Brilliant



#### OBD01

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBD01/800	4000708	780-810	1850	520	brilliant	transparent	S
OBD01/900	4000709	880-910	1850	620	brilliant	transparent	S
OBD01/1000	4000710	980-1010	1850	720	brilliant	transparent	S

Universal LEFT and RIGHT solution



## Project Line project solutions

### OBB

side panel for combination with OBD2 or OBDO1 door



4 mm ESG Tempered glass  
Transparent



Profile colour  
Brilliant

■ Installation width with OBD2 or OBDO1

Combination	Installation width
OBD2/1000+OBB	985-1000
OBD2/1200+OBB	1185-1200
OBD2/1400+OBB	1385-1400
OBDO1/800+OBB	785-800
OBDO1/900+OBB	885-900
OBDO1/1000+OBB	985-1000



### OBB

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBB/800	4000711	785-800	1850	—	brilliant	transparent	S
OBB/900	4000712	885-900	1850	—	brilliant	transparent	S

Universal LEFT and RIGHT solution / OBB cannot be used as a self-standing side panel

## NEW variants with black profile



### OBZD2 / OBZB

sliding shower door to niche or for combination with a side panel OBZB



### OBZD2

sliding shower door to niche or for combination with a side panel OBZB



8 mm ESG Tempered glass  
Transparent



Profile colour  
Brilliant / Black elox 05



### OBZD2

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBZD2/1200	4000713	1180-1220	1950	490	brilliant	transparent	S
OBZD2/1200	4000800	1180-1220	1950	490	black elox	transparent	S
OBZD2/1400	4000714	1380-1420	1950	590	brilliant	transparent	S
OBZD2/1400	4000801	1380-1420	1950	590	black elox	transparent	S

Universal LEFT and RIGHT solution

### OBZB

side panel for combination with OBZD2



8 mm ESG Tempered glass  
Transparent



Profile colour  
Brilliant / Black elox 05

■ Installation width with OBZD2

Combination	Installation width
OBZD2/1200+OBZB	1190-1210
OBZD2/1400+OBZB	1390-1410



### OBZB

type	ordering No.	installation width (y)	height (h)	entrance (c)	profile	glass	delivery method
OBZB/800	4000715	780-800	1950	—	brilliant	transparent	S
OBZB/800	4000802	780-800	1950	—	black elox	transparent	S
OBZB/900	4000716	880-900	1950	—	brilliant	transparent	S
OBZB/900	4000803	880-900	1950	—	black elox	transparent	S

Universal LEFT and RIGHT solution / OBZB cannot be used as a self-standing side panel



■ OBZB

## Project Line project solutions

### APOLLO SET

quadrant shower enclosure with two sliding door  
with self-supporting shower tray and siphon drain



4 mm ESG Tempered glass  
Transparent / Matt glass



Profile colour  
White



### TULA SET

quadrant shower enclosure with two sliding door  
with self-supporting shower tray and siphon drain



#### APOLLO SET / TULA SET

type	ordering No.	dimensions	entrance	profile	glass	delivery method
APOLLO SET 800	4000462	800x800x1900	400	white	transparent	S
APOLLO SET 900	4000463	900x900x1900	500	white	transparent	S
TULA SET 800	4000515	800x800x1900	400	white	matt glass	S
TULA SET 900	4000516	900x900x1900	500	white	matt glass	S

Ball bearing rollers with bottom tilt function / Height 1800 mm (shower enclosure) + 100 mm (shower tray)

### APOLLO CHROME SET

quadrant shower enclosure with two sliding door  
with self-supporting shower tray and siphon drain



5 mm ESG Tempered glass  
Matt Glass



Profile colour  
Brilliant



#### APOLLO CHROME SET


type	ordering No.	dimensions	entrance	profile	glass	delivery method
APOLLO CHROME SET 800	4000612	800x800x1900	400	brilliant	matt glass	S
APOLLO CHROME SET 900	4000613	900x900x1900	500	brilliant	matt glass	S

Ball bearing rollers with bottom tilt function / Height 1800 mm (shower enclosure) + 100 mm (shower tray)

### DREAM-P

quadrant self-supporting shower tray  
made of coextruded shell with GREENSIR support

80x80 / 90x90



■ DREAM-P shower trays are delivered with a siphon drain


#### DREAM-P

type	ordering No.	dimension (mm)	delivery method
DREAM-P 800	8000099	800x800x125, R550	S
DREAM-P 900	8000030	900x900x125, R550	S

### DREAM FLAT

FLAT quadrant shower made of coextruded  
shell with GREENSIR support

80x80 / 90x90



#### DREAM FLAT

type	ordering No.	dimension (mm)	delivery method
DREAM FLAT 800	8000284	800x800x60, R550	S
DREAM FLAT 900	8000285	900x900x60, R550	S


## Project Line project solutions

### ALOHA-P

square self-supporting shower tray

made of coextruded shell with GREENSIR support

80x80 / 90x90



■ ALOHA-P shower trays are delivered with a siphon drain

#### ALOHA-P


ALOHA-P	L	W	H	S1	S2	$\theta$
800x800	800	800	125	200	195	60
900x900	900	900	125	185	180	60

type	ordering No.	dimension (mm)	delivery method
ALOHA-P 800	8000148	800x800x125	S
ALOHA-P 900	8000149	900x900x125	S

### ALOHA FLAT

FLAT square shower made of coextruded shell with GREENSIR support

80x80 / 90x90



#### ALOHA FLAT


ALOHA FLAT	L	W	H	S1	S2	$\theta$
800x800	800	800	60	200	195	60
900x900	900	900	60	185	180	60

type	ordering No.	dimension (mm)	delivery method
ALOHA FLAT 800	8000282	800x800x60	S
ALOHA FLAT 900	8000283	900x900x60	S

### SEMIDEEP NEO

semideep quadrant self-supporting shower tray  
reinforced with a GREENSIR technology

80x80 / 90x90



#### SEMIDEEP NEO

type	ordering No.	dimension (mm)	description	delivery method
SEMIDEEP NEO 800	8000197	800x800x290	self-supporting tray - monobloc	S
SEMIDEEP NEO 900	8000198	900x900x300	self-supporting tray - monobloc	S

■ Delivered as MONOBLOC (with mounts to the wall)

■ The package includes a DREAM-P siphon drain



■ Height of tray: 290 (300) mm

■ Depth of tray: 200 mm

### VIKI LUX

deep quadrant shower tray  
reinforced with a GREENSIR technology

80x80 / 90x90



#### VIKI LUX

type	ordering No.	dimension (mm)	description	delivery method
VIKI LUX 800	8000047	800x800x480	deep tray, adjustable legs, removable front panel	S
VIKI LUX 900	8000046	900x900x480	deep tray, adjustable legs, removable front panel	S
TRAY SIPHON VIKI	8100009	-	siphon with a plastic plug	S
TRAY SIPHON VIKI LUX	8100033	-	siphon Click Clack - CHROME	S

## Project Line project solutions

### CLASSIC PRO

rectangular acrylic bathtub


150x70 / 160x70 / 170x70



recommended  
accessories legs  
EXCLUSIVE page 175



SCREEN, SCREEN PRO



#### CLASSIC PRO

type	ordering No.	dimension (mm)	volume (l)	delivery method
CLASSIC PRO 150	9040000	1500x700	150	S
CLASSIC PRO 160	9050000	1600x700	160	S
CLASSIC PRO 170	9060000	1700x700	170	S

CLASSIC PRO	L	W	H	G	D	R	S	E	F	Z
1500x700	1500	695	390	295	1080	35	450	1350	555	235
1600x700	1600	695	395	300	1170	35	440	1435	545	230
1700x700	1700	700	390	295	1240	35	420	1540	540	250

### TULLIP

asymmetric corner acrylic bathtub

150x100 / 160x100



recommended  
accessories legs  
EXCLUSIVE page 175




PXV1, SCREEN MINI



#### TULLIP

type	ordering No.	dimension (mm)	volume (l)	delivery method
TULLIP 150 (L)	5157000	1500x1000	200	S
TULLIP 150 (P)	5158000	1500x1000	200	S
TULLIP 160 (L)	5159000	1600x1000	210	S
TULLIP 160 (P)	5161000	1600x1000	210	S
Front PANEL 150 (L)	5157002	height=570	-	S
Front PANEL 150 (P)	5157001	height=570	-	S
Front PANEL 160 (L)	5159002	height=570	-	S
Front PANEL 160 (P)	5159001	height=570	-	S

TULLIP	L	W	H	G	W1	D	R	P	E	Z1	Z2
1500x1000	1500	1000	460	330	700	1100	35	570	1390	1050	350
1600x1000	1600	1000	460	335	700	1200	35	570	1490	1120	350



### SCREEN PRO



bath screen with a both-way opening



4 mm ESG Tempered glass  
Transparent



Profile colour  
White



■ Universal LEFT and RIGHT solution



### SCREEN



bath screen with a both-way opening



6 mm ESG Tempered glass  
Pattern



Profile colour  
White



■ Universal LEFT and RIGHT solution



### SCREEN

type	ordering No.	installation width (y)	height (h)	profile	glass	delivery method
SCREEN	4000222	750	1300	white	pattern	S

## Project Line project solutions

### SIMPLE

basic quadrant model of the shower box



4 mm ESG Tempered glass  
Transparent



Profile colour  
White

- mechanical lever faucet - spacing of water supply 150 mm
- sliding doors and shower complete
- self-supporting shower tray with siphon
- rear panels in Green Satinato colour

SIMPLE					
type	ordering No.	dimensions	profile	glass	delivery method
SIMPLE 800	4000248	800x800x2050	white	transparent	S
SIMPLE 900	4000249	900x900x2050	white	transparent	S



### SIMPLE SQUARE

basic square model of the shower box



4 mm ESG Tempered glass  
Transparent



Profile colour  
White

- mechanical lever faucet - spacing of water supply 150 mm
- sliding doors and shower complete
- self-supporting shower tray with siphon
- rear panels in Green Satinato colour

SIMPLE SQUARE					
type	ordering No.	dimensions	profile	glass	delivery method
SIMPLE SQUARE 800	4000692	800x800x2050	white	transparent	S
SIMPLE SQUARE 900	4000693	900x900x2050	white	transparent	S



### LUCIE

quadrant shower box with deep shower tray



4 mm ESG Tempered glass  
Transparent



Profile colour  
Brilliant

- deep shower tray with integrated seat
- mechanical faucet
- aluminium handle in Brilliant surface finish
- sliding doors, shower set and a shelf
- rear panels from 4 mm safety glass - Smoke Glass colour

#### LUCIE

type	ordering No.	dimensions	profile	glass	delivery method
LUCIE	4000588	900x900x2050	brilliant	transparent	S



### LEONNIE

quadrant hydro massage shower box



4 mm ESG Tempered glass  
Rauch



Profile colour  
Brilliant

- 6× massage jets
- shower set and mechanical control
- sliding doors and shelf on rear panel
- self-supporting shower tray
- rear panels from 5 mm safety glass - Smoke Glass colour

#### LEONNIE

type	ordering No.	dimensions	profile	glass	delivery method
LEONNIE 900	4000611	900x900x2050	brilliant	rauch	S



! TECHNICAL SPECIFICATIONS:  
size for outlet connection: 40mm  
size for faucet connection: 1/2"  
water supply pressure: 1,8–3 bar

! TECHNICAL SPECIFICATIONS:  
size for outlet connection: 40mm  
size for faucet connection: 1/2"  
water supply pressure: 1,8–3 bar

## Project Line project solutions

### MAROCCO NEO

quadrant hydro massage shower box



4 mm ESG Tempered glass  
Rauch



Profile colour  
Brilliant

- 6x massage jets
- elektronic control (fan, radio, light)
- shower set and top cover with head shower
- self-supporting shower tray
- rear panels from 5 mm safety glass - Smoke Glass colour

#### MAROCCO NEO

type	ordering No.	dimensions	profile	glass	delivery method
MAROCCO NEO	4000465	900x900x2150	brilliant	rauch	S



### MAROCCO DEEP

quadrant hydro massage shower box with deep shower tray



4 mm ESG Tempered glass  
Rauch



Profile colour  
Brilliant

- 6x massage jets
- elektronic control (fan, radio, light)
- shower set and top cover with head shower
- deep shower tray with integrated seat
- rear panels from 5 mm safety glass - Smoke Glass colour

#### MAROCCO DEEP

type	ordering No.	dimensions	profile	glass	delivery method
MAROCCO DEEP 900	4000586	900x900x2150	brilliant	rauch	S
MAROCCO DEEP 1000	4000604	1000x1000x2150	brilliant	rauch	S

TECHNICAL SPECIFICATIONS:  
size for outlet connection: 40mm  
size for faucet connection: 1/2"  
water supply pressure: 1,8–3 bar



### EUROPA

quadrant shower box



4 mm ESG Tempered glass  
Matt Glass



Profile colour  
White

- mechanical faucet
- hand shower
- self-supporting shower tray with siphon drain
- rear panels from 4 mm safety glass - Matt Glass



### DEEP

quadrant shower box with deep shower tray

- two-position mechanical faucet
- hand shower
- top cover with head shower
- deep shower tray with integrated seat
- rear panels from 4 mm safety glass - Matt Glass

#### EUROPA / DEEP

type	ordering No.	dimensions	profile	glass	delivery method
EUROPA	4000400	900x900x1950	white	matt glass	S
DEEP	4000401	900x900x2100	white	matt glass	S



### LUX BLACK

quadrant hydro massage shower box



5 mm ESG Tempered glass  
Transparent



Profile colour  
Silver (elox)

- 6x massage jets
- three-position mechanical faucet
- shower set and top cover with head shower
- self-supporting shower tray
- rear panels from 5 mm safety glass - Smoke Glass colour

#### LUX BLACK

type	ordering No.	dimensions	profile	glass	delivery method
LUX BLACK	4000389	900x900x2150	silver	transparent	S



TECHNICAL SPECIFICATIONS:  
size for outlet connection: 40mm  
size for faucet connection: 1/2"  
water supply pressure: 1,8–3 bar

**Project Line**  
project solutions

## FLORIDA

1020×220

- shower set, handheld shower
- head shower, rod with sliding holder



## FLORIDA COMBI

1070×220

- shower set with faucet - spacing 150 mm
- handheld shower, head shower
- rod with sliding holder



### FLORIDA / FLORIDA COMBI

type	ordering No.	dimensions	delivery method
FLORIDA	4000321	1020×220	0
FLORIDA COMBI	4000322	1070×220	0

## SELMA

1020×221

- shower set, handheld shower
- head shower, rod with sliding holder



## SELMA COMBI

1070×210

- shower set with faucet - spacing 150 mm
- handheld shower, head shower
- rod with sliding holder



### SELMA / SELMA COMBI

type	ordering No.	dimensions	delivery method
SELMA	4000323	1020×210	0
SELMA COMBI	4000324	1070×210	0



TECHNICAL SPECIFICATIONS:  
size for faucet connection:  
water supply pressure:



1/2"  
1,8–3 bar

# GENERAL INFORMATION

XXX-XXXXXX-XX-XX

MODEL  
NUMBER

GLASS TYPES  
PROFILE  
COLOUR FINISHING

## ORDERING NUMBER

723-8000000-01-02

shower enclosure | TR2/800  
finishing | Silver / Transparent

## TERMS AND CONDITIONS

Prices are recommended, set by valid price list for a given period. Delivery times are agreed individually according to the particular business cases. For standard products, delivery times are listed for each type in the table (see explanatory notes).

### Explanatory notes

#### Delivery method:

S	items in STOCK - delivery in the earliest possible date
O	items to ORDER - delivery time should not exceed 14 working days
Z	CUSTOMIZED - delivery time should not exceed 30 working days

## MAINTENANCE OF SHOWER ENCLOSURES



Shower enclosures and shower cabins in standard versions are used to prevent splashing water in bathroom spaces. In order to maintain the satisfactory and proper function of it, it is necessary to maintain the products regularly. The maintenance of shower enclosures is very easy. Shower enclosures and cabins are possible to be maintained by recommended Roth Czech common cleaning detergents which do not include abrasive elements (as sand, grinded marmor etc). These hard elements cause unrecoverable damage to the glass and on the painted surfaces of metal parts. Avoid contact with concentrated acids, high concentration detergents, volatile substances and alcohol as well as detergents with a high rate of chloral, concentrated essences for the bath and different colour concentrates. It is necessary for the moving parts of shower enclosures to be regularly greased by water adhesive greases (water vaseline or commonly used silicone creams). This is necessary to do in accordance with the frequency and conditions of usage of the shower enclosure. Minimally once or twice per month.

## CONSTRUCTION OF SHOWER ENCLOSURES

Shower enclosures and screens are designed for normal use. For usage by permanently or temporarily disabled people it is necessary to consult with a producer in advance.

## TIGHTNESS OF SHOWER ENCLOSURES

From the perspective of tightness is possible to split products in two categories:



### FRAME SOLUTION

- EXCLUSIVE LINE, PROXIMA LINE, LEGA LINE
- Roth Czech guarantees maximum tightness during normal use of the shower and hydromassage equipment.



### FRAMELESS SOLUTION

- KINEDOOR LINE, WALK IN LINE, ELEGANT NEO LINE, ELEGANT LINE, TOWER LINE, AMBIENT LINE, LIMAYA LINE

Roth Czech guarantees sufficient tightness during normal use of the shower and hydromassage equipment. But does not guarantee the water penetration, if the critical areas are exposed to a continuous direct stream of water.

## MAINTENANCE OF ACRYLIC PRODUCTS

Material from which the bathtubs and shower trays are produced is smooth and shiny in the entire structure and thanks to its properties there are very small deposits of microbes and dirt. Therefore we recommend just wiping the bath with a wet cloth using common household detergents. Avoid the use of abrasive elements. Avoid contact with concentrated acids, chloral and materials as alcohol, acetones etc. as well as with concentrates of perfume essences and colour concentrates. Bathtubs and shower trays should never be installed to fixed bricking, the product has to be removable (in upper direction) without any construction impacts!!!

Maximum weight resistance of bathtubs and shower trays is 0,1kg/1cm<sup>2</sup>

For ideal sealing we recommend the use of Roth Czech assembly set.

In the case of manipulation during usage there could be some scratches on the product we recommend to fix them with a very mild water resistant sand paper (density 1000 and higher) and then to polish the area with metal or car polishing substances.

Caution: In case you decide to repair a bathtub (tray) by yourself, you do it on your own responsibility!

## I) Guarantee period:

Guarantee period starts on the day of purchase by the buyer. This date is mentioned in the guarantee certificate as the date of sale or the date of installation made by an authorized person (if this installation has been ordered within 3 weeks from the date of purchase). With all products of Roth Czech s.r.o. is provided to the consumer\* the basic guarantee for 2 years from the day of purchase of the product. With compliance of the extra conditions listed below is provided an extended guarantee. Guarantee period consists of a statutory period (of 2 years) and, eventually, of the extended guarantee period.

\* With selected products the guarantee to buyers is from the producer, who are not consumers too, reduced to 6 months and complaints are handled within 90 days from the day of applying for the claim. Statutory rights of final customer (consumer) are not affected by this, the guarantee to him is applicable by law.

### II a) Basic guarantee - 2 years:

The claim to launch warranty fulfillment (repairing or replacing) of defective products on costs to the manufacturer lapses in the following cases:

- the product is not used in correspondence with its determination or manual instruction
- if a valid document of product purchase is not presented (so the customer has no proof of guarantee period beginning)
- when improper installation is detected
- in case a product was unauthorized or unprofessional manipulation made by the owner, or by other unqualified persons
- none or incorrect maintenance (see „maintenance instructions“)

### II b) Extended guarantee:

Extended guarantee is provided by Roth Czech s.r.o. to shower enclosures of all product lines Roth Czech (except Project Line). The claim to launch warranty fulfillment (repairing or replacing) of defective products at the cost of a manufacturer, in the range of extended guarantee, lapses in the following cases:

- if it was not an original guarantee certificate completed by a retailer and together by a professional installation company.
- if assembly of the product was not performed professional installation company (with a business license)

### II c) Conditions of extended guarantee:

In the range of extended guarantee, in excess of 24 months from date of purchase, the producer has exclusive rights to choose the way to deal with the claim by:

- repairing of the defect
- replacing of the defective parts
- financial compensation in an adequate range and importance of the defect in question, or by other ways in connection to the incurred defect and its relevancy.

Extended guarantee is not subject to obligation of the Civil code.

Extended guarantee is governed by the Complaints procedure of the company Roth Czech s.r.o..

Manufacturers decision on how to deal with the claim is mandatory for the customer.

## Guarantee period for product groups is following:

### Items of Roth Czech product lines:

Shower enclosures, screens - KINEDOOR, WALK IN, ELEGANT NEO, ELEGANT, AMBIENT, TOWER, EXCLUSIVE, PROXIMA, LIMAYA, LEGA	2+3 years
akrylic and cast marble bathtubs	10 years
self-supporting acrylic shower trays	2 years
FLAT acrylic shower trays	10 years
cast marble shower trays	5 years
others (Accessories, ...)	2 years

### Items of PROJECT LINE (former name SANIPRO):


complete assortment	2 years
---------------------	---------

# TECHNICAL SPECIFICATIONS


## WAYS TO INSTALL SHOWER ENCLOSURES

Prior to installation of shower enclosure ON TILES it is necessary to check product dimensions in TECHNICAL SPECIFICATIONS section.

### MOUNTING ON THE TRAY




### MOUNTING ON THE TILES




## Kinedoor Line

■ KID2



Nominal size	X (mm)
1300	1150-1310
1500	1300-1510
1800	1500-1810
2000	1800-2010


■ KID2 + KIB



Nominal size	Y (mm)	X (mm)
900	-	855-880
1000	-	955-980
1300	1150-1310	-
1500	1300-1510	-
1800	1500-1810	-
2000	1800-2010	-


## Elegant Neo Line

■ GR2N



Nominal size	X (mm)	Y (mm)	C (mm)
900-1000	885-985	879-979	710-900
1000-1100	985-1085	979-1079	860-1050

■ GDO1N + GDO1N




Nominal size	X (mm)	Y (mm)	C (mm)
700-800	679-779	685-785	510-650
800-900	779-879	785-885	650-790
900-1000	879-979	885-985	790-930
1000-1100	979-1079	985-1085	930-1070
1100-1200	1079-1179	1085-1185	1070-1210


■ KIB + KID2 + KIB



Nominal size	Y (mm)	X (mm)
900	-	855-880
1000	-	955-980
1300	1150-1310	-
1500	1300-1510	-
1800	1500-1810	-
2000	1800-2010	-




■ GDO1N + GBN



Nominal size	Y (mm)
800	775-785
900	875-885
1000	975-985


Nominal size	V (mm)	Z (mm)	C (mm)
700-800	685-785	691-791	380-480
800-900	785-885	791-891	480-580
900-1000	885-985	891-991	580-680
1000-1100	985-1085	991-1091	680-780
1100-1200	1085-1185	1091-1191	780-880

■ GDO1N + GZ




Nominal size	V (mm)	C (mm)
700-800	685-785	360-460
800-900	785-885	460-560
900-1000	885-985	560-660
1000-1100	985-1085	660-760
1100-1200	1085-1185	760-860

## Elegant Line




Nominal size	Y (mm)	X (mm)
800	775-795	755-775
900	875-895	855-875
1000	975-995	955-975




Nominal size	X (mm)	Y (mm)
800	755-800	875-900
900	855-880	875-900
1000	955-980	975-1000
1100	1055-1080	1075-1100
1200	1155-1180	1175-1200
1300	1255-1280	1275-1300
1400	1355-1380	1375-1400
1500	1455-1480	1475-1500


## Elegant Line




Nominal size	Y (mm)
1100	1060-1110
1200	1160-1210
1300	1260-1310
1400	1360-1410
1500	1460-1510




Nominal size	X (mm)	Y (mm)
800	780-795	-
900	880-895	-
1000	980-995	-
1100	-	1085-1115
1200	-	1185-1215
1300	-	1285-1315
1400	-	1385-1415
1500	-	1485-1515




Nominal size	X (mm)	Y (mm)	X (mm)	Z (mm)
800	755-780	775-800	755-780	775-800
900	855-880	875-900	855-880	875-900
1000	955-980	975-1000	955-980	975-1000
1100	1055-1080	1075-1100	1055-1080	1075-1100
1200	1155-1180	1175-1200	1155-1180	1175-1200
1300	1255-1280	1275-1300	1255-1280	1275-1300
1400	1355-1380	1375-1400	1355-1380	1375-1400
1500	1455-1480	1475-1500	-	-





Nominal size	Y (mm)
800	780-820
900	880-920
1000	980-1020
1100	1080-1120
1200	1180-1220
1300	1280-1320
1400	1380-1420
1500	1480-1520









Nominal size	X (mm)	Y (mm)
800	780-795	-
900	880-895	-
1000	980-995	-
1100	-	1108-1130
1200	-	1208-1230
1300	-	1308-1330
1400	-	1408-1430
1500	-	1508-1530




## Tower Line



## Tower Line




## Tower Line



TBD	A (mm)	TCO1	B (mm)
240	212-237	800	756-771
440	412-437	900	856-871
640	612-637	1000	956-971
740	712-737	1100	1056-1071
		1200	1156-1171



Y	TCO1/800	TCO1/900	TCO1/1000	TCO1/1100	TCO1/1200
TBD/240	968-1008	1068-1108	1168-1208	1268-1308	1368-1408
TBD/440	1168-1208	1268-1308	1368-1408	1468-1508	1568-1608
TBD/640	1368-1408	1468-1508	1568-1608	1668-1708	1768-1808
TBD/740	1468-1508	1568-1608	1668-1708	1768-1808	1868-1908




TBD	A (mm)	TD01	B (mm)	C (mm)	D (mm)
240	212-237	800	743-768	442	298-323
440	412-437	900	843-868	542	298-323
640	612-637	1000	943-968	642	298-323
740	712-737	1100	1043-1068	642	398-423
		1200	1143-1168	742	398-423

Y	TD01/800	TD01/900	TD01/1000	TD01/1100	TD01/1200
TBD/240	955-1005	1055-1105	1155-1205	1255-1305	1355-1405
TBD/440	1155-1205	1255-1305	1355-1405	1455-1505	1555-1605
TBD/640	1355-1405	1455-1505	1555-1605	1655-1705	1755-1805
TBD/740	1455-1505	1555-1605	1655-1705	1755-1805	1855-1905


## Tower Line




Nominal size	Y (mm)
800	785-820
900	885-920
1000	985-1020
1100	1085-1120
1200	1185-1220




Nominal size	X (mm)	Y (mm)
800	775-800	795-835
900	875-900	895-935
1000	975-1000	995-1035
1100	-	1095-1135
1200	-	1195-1235




Nominal size	Y (mm)
800	775-810
900	875-910
1000	975-1010
1100	1075-1110
1200	1175-1210



Nominal size	Y (mm)
800	775-810
900	875-910
1000	975-1010
1100	1075-1110
1200	1175-1210




Nominal size	X (mm)	Y (mm)
800	755-775	775-795
900	855-875	875-895
1000	955-975	975-995
1100	1055-1075	1075-1095
1200	1155-1175	1175-1195



Nominal size	X (mm)	Y (mm)	V (mm)	Z (mm)
700	-	-	650-670	667-687
750	-	-	700-720	717-737
800	770-795	790-815	750-770	767-787
900	870-895	890-915	850-870	867-887
1000	970-995	990-1015	950-970	967-987
1100	1070-1095	1090-1115	1050-1070	1067-1087
1200	1170-1195	1190-1215	1150-1170	1167-1187

## Tower Line


■ TDN2



TDN2 X (mm)

800	1060-1110
900	1160-1210
1000	1260-1310
1100	1360-1410
1200	1460-1510

■ TDN2 + UB




Nominal size

Nominal size	X (mm)	Y (mm)
800	780-795	-
900	880-895	-
1000	980-995	-
1200	-	1080-1110
1300	-	1180-1210
1400	-	1380-1410
1500	-	1480-1510

## Ambient Line


■ AMR2N



Nominal size

Nominal size	X (mm)	Y (mm)
900	866-876	885-895
1000	966-976	985-995


■ AMD2



Nominal size

1200	1100-1200
1300	1200-1300
1400	1300-1400
1500	1400-1500
1600	1500-1600
1700	1600-1700
1800	1700-1800


■ UB + TDN2 + UB



Nominal size

Nominal size	X (mm)	Y (mm)
800	780-795	-
900	880-895	-
1000	980-995	-
1100	-	1104-1125
1200	-	1204-1225
1300	-	1304-1325
1400	-	1404-1425
1500	-	1504-1525


■ TCW1



Nominal size

Nominal size	Y (mm)
800	770-795
900	870-895
1000	970-995
1200	1170-1195
1400	1370-1395


■ TBS



Nominal size

Nominal size	X (mm)
800	766-776
900	866-876
1000	966-976
1200	-
1300	-
1400	-
1500	-


■ AMD2 + AMB



Nominal size

Nominal size	X (mm)	Y (mm)
800	766-776	-
900	866-876	-
1200	-	1100-1200
1300	-	1200-1300
1400	-	1300-1400
1500	-	1400-1500

■ AMB + AMD2 + AMB




Nominal size

Nominal size	X (mm)	Y (mm)
800	766-776	-
900	866-876	-
1200	-	1100-1200
1300	-	1200-1300
1400	-	1300-1400
1500	-	1400-1500


## Exclusive Line

■ ECR2N



Nominal size	X (mm)	Y (mm)
900	875-900	875-900
1000	975-1000	975-1000


■ ECS2L + ECS2P



Nominal size	X (mm)	Y (mm)
800	775-800	752-777
900	875-900	852-877
1000	975-1000	952-977
1100	1075-1100	1052-1077
1200	1175-1200	1152-1177


## Exclusive Line

■ ECD2 + ECDBN




Nominal size	X (mm)	Y (mm)
800	775-815	-
900	875-915	-
1000	975-1015	-
1200	-	1170-1210
1300	-	1270-1310
1400	-	1370-1410
1500	-	1470-1510

■ ECD2




Nominal size	X (mm)
1200	1170-1215
1300	1270-1315
1400	1370-1415
1500	1470-1515

■ ECDO1N




Nominal size	X (mm)
800	775-815
900	875-915
1000	975-1015
1100	1075-1115

■ ECDO1N + ECDBN




Nominal size	X (mm)	Y (mm)
800	775-815	770-810
900	875-915	870-910
1000	975-1015	970-1010
1100	-	1070-1110


## Proxima Line




Nominal size	X (mm)	Y (mm)
800	780-805	780-805
900	880-905	880-905
1000	980-1005	980-1005



Nominal size	X (mm)	Y (mm)
800x800	786-810	786-810
900x900	886-910	886-910
1000x1000	986-1010	986-1010




Nominal size	X (mm)	Y (mm)	S (mm)	C (mm)
800	758-783	767-792	243-268	510
900	858-883	867-892	343-368	510
1000	958-983	967-992	343-368	610
1100	1058-1083	1067-1092	443-468	610
1200	1158-1183	1167-1192	443-468	710




Nominal size	X (mm)	Y (mm)	S (mm)	C (mm)
800	758-783	767-792	243-268	510
900	858-883	867-892	343-368	510
1000	958-983	967-992	343-368	610
1100	1058-1083	1067-1092	443-468	610
1200	1158-1183	1167-1192	443-468	710

■ PXDO1N / PXDO1N + PXBN




Nominal size	X (mm)	Y (mm)
800	772-822	775-800
900	872-922	875-900
1000	972-1022	975-1000
1100	1072-1122	1075-1100

■ PXD2N / PXD2N + PXBN




Nominal size	X (mm)	Y (mm)
700	680-705	
800	780-805	
900	880-905	
1000	980-1005	
1100	1080-1130	1085-1110
1200	1180-1230	1185-1210
1300	1280-1330	1285-1310
1400	1380-1430	1385-1410
1500	1480-1530	1485-1510
1600	1580-1630	1585-1610

■ LYE2 + LYE2



Nominal size	X (mm)	Y (mm)	C (mm)
800	758-783	767-792	690
900	858-883	867-892	790
1000	958-983	967-992	890


■ LYE2 + LYSW1S



Nominal size	X (mm)	Y (mm)	Z (mm)	C (mm)
800	758-783	767-792	761-786	690
900	858-883	867-892	861-886	790
1000	958-983	967-992	961-986	890


## Limaya Line

■ LY4 + LZ




Nominal size	Y (mm)	C (mm)	S (mm)
800	780-815	510	243-268
900	880-915	510	343-368
1000	980-1015	610	343-368
1100	1080-1115	610	443-468
1200	1180-1215	710	443-468

■ LY2 + LZ




Nominal size	X (mm)	C (mm)
800	780-815	690
900	880-915	790
1000	980-1015	890

■ LLR2




Nominal size	X (mm)	Y (mm)
800	776-798	776-798
900	876-898	876-898

■ LLD01




Nominal size	X (mm)
700	675-707
800	775-807
900	875-907
1000	975-1007

■ LYR4




Nominal size	X (mm)	Y (mm)	S (mm)	C (mm)
800	758-783	767-792	243-268	395
900	858-883	867-892	343-368	395
1000	958-983	967-992	443-468	395

■ LYP2




Nominal size	Y (mm)	C (mm)
800	760-810	320
900	860-910	375
1000	960-1010	425
1100	1060-1110	475
1200	1160-1210	525

■ LLD02



Nominal size	X (mm)
700	672-704
800	772-804
900	872-904
1000	972-1004


■ LLD01 + LLB, LLD02 + LLB



Nominal size	X (mm)	Y (mm)
700	679-705	675-705
750	729-755	-
800	779-805	775-805
900	879-905	875-905
1000	979-1005	975-1005


## Lega Line

■ LLD2 + LLB




Nominal size	X (mm)	Y (mm)
700	679-705	-
750	729-765	-
800	779-805	-
900	879-905	-
1000	979-1005	970-1005
1200	-	1170-1205
1400	-	1370-1405
1600	-	1570-1605

■ LLD2




Nominal size	Xa (mm)	Xb (mm)
1000	970-1005	978-1005
1200	1170-1205	1178-1205
1400	1370-1405	1378-1405
1600	1570-1605	1578-1605
1700	1670-1705	1678-1705
1800	1770-1805	1778-1805

■ LLD4




Nominal size	X (mm)
1100	1080-1110
1200	1180-1210
1300	1280-1310
1400	1380-1410
1500	1480-1510
1600	1580-1610

■ PD3N + LLBD




Nominal size	X (mm)	Nominal size	Z (mm)	Y (mm)
800	750-805	700	-	675-695
900	850-905	750	-	725-745
1000	950-1005	800	775-830	775-795
		900	875-930	875-895
		1000	975-1030	975-995

■ LLS2 - preassembled




Nominal size	X (mm)	Y (mm)
800x800	775-790	775-790
900x900	875-890	875-890

■ LLS2 - not preassembled




Nominal size	X (mm)	Y (mm)
1000x800 (800x1000)	975-990 (775-790)	775-790 (975-990)
1200x800 (800x1200)	1175-1190 (775-790)	775-790 (1175-1190)
1200x900 (900x1200)	1175-1190 (875-890)	875-890 (1175-1190)

## Notes



Roth





## Roth Energy and Sanitary Systems

### Generation

- > Solar systems
- > Heat pump systems
- > Solar heat pump systems

### Storage

- Storage systems for
- > Domestic & heating water
- > Combustibles and biofuels
- > Rainwater and waste water

### Application

- > Radiant heating and cooling systems
- > Pipe installation systems
- > Shower systems

**Roth**

**Roth Czech s.r.o.**  
Třebařov 160  
569 33 Czech Republic  
tel.: +420 461 324 301  
e-mail: objednavky@roth-czech.cz  
[www.roth-czech.cz/en](http://www.roth-czech.cz/en)